



MOTORCYCLE CLUTCHES

ALTO PRODUCTS CORP.

Alto Way • Atmore, AL • 36504
251.368.7777 • Fax: 251.368.7774
www.altoUSA.com • sales@altoUSA.com

Original ALTO CARBONITE® Hi-Performance Biker Clutches

Carbon Carbonite® Based Friction Material:

- Carbon offers superior coefficient of friction
- Carbon provides higher temperature capacity
- Decreases wear while increasing durability

Single Side Extra Capacity Clutches Reduce Heat:

- Additional friction elements increase surface area
- Additional steel elements increase conductivity
- Balanced temperature and rapid heat dissipation

Kolene Treated Steel Separator Plates:

- Wear & Fatigue Resistance
- Higher Heat Resistance
- Increased Lubricity

Alto Carbonite® is the Greatest Clutch Ever Made:

- Lifetime Warranty
- High Capacity
- Less Heat
- Increased Durability

Unparalleled and Unrivalled Performance



HARLEY-DAVIDSON Replacement Clutch Kits

Harley-Davidson Carbonite®
Hi-Performance PowerPacks®

1941-1983 BIG TWIN Alto Part # 095750DC

- (6) - Carbonite® Frictions
- (5) - Kolene® Melonite® Steels

1984-1989 BIG TWIN Alto Part # 095750EC

- (6) - Externally Splined Carbonite®
Single Side Frictions
- (6) - Internally Splined Carbonite®
Single Side Frictions
- (1) - Double Side Carbonite® Friction

1990-2004 BIG TWIN & XL & BUELL Alto Part # 095750BC

- (9) - Externally Splined Carbonite®
Single Side Frictions
- (9) - Internally Splined Carbonite®
Single Side Frictions
- (1) - Double Side Carbonite® Friction

2005-ON BUELL Alto Part # 095750CC

- (8) - Externally Splined Carbonite®
Single Side Frictions
- (8) - Internally Splined Carbonite®
Single Side Frictions
- (1) - Double Side Carbonite® Friction

1998-ON BIG TWIN Alto Part # 095750NC

- (10) - Carbonite® Frictions
- (9) - Kolene® Melonite® Steels

1941-1983 BIG TWIN Alto Part # 095750DCX

- (6) - Carbonite® Frictions
- (6) - Anti-Rattler Steel Plate

ALTO PRODUCTS CORP.

MOTORCYCLE CATALOG

HARLEY-DAVIDSON® Replacement

SPORTSTER® 1957-70

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|----------|-----|-----|----------------------------------|---------------|-------|---------------------|
| 095752F | NA | NA | FRICTION PACK | 7-095710-380 | 57-70 | Red Eagle® Sunburst |
| 095752FX | NA | NA | FRICTION PACK | 8-095710-380 | 57-70 | Red Eagle® Sunburst |
| 095752KF | NA | NA | FRICTION PACK with Aluminum Core | 7-095710AK380 | 57-70 | Aramid Sunburst |
| 095753M | NA | NA | STEEL PACK | 7-095711-120 | 57-70 | |

FRICTION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|-------------|------------|------|-----------------------------|-----|------------|-------|---------------------|
| 095710-380 | 37985-52A0 | SK-1 | FRICTION | 7 | 3.8mm/.150 | 57-70 | Red Eagle® Sunburst |
| 095710A380 | NA | SK-1 | FRICTION with Aluminum Core | 7 | 3.8mm/.150 | 57-70 | Red Eagle® Sunburst |
| 095710K380 | NA | SK-1 | FRICTION | 7 | 3.8mm/.150 | 57-70 | Aramid Sunburst |
| 095710AK380 | NA | SK-1 | FRICTION with Aluminum Core | 7 | 3.8mm/.150 | 57-70 | Aramid Sunburst |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|------------|----------|------|-------------|-----|------------|-------|
| 095711-120 | 37992-52 | SK-5 | STEEL | 7 | 1.2mm/.047 | 57-70 |
| 095711-200 | NA | NA | STEEL | AR | 2.0mm/.079 | 57-70 |
| 095711-300 | NA | NA | STEEL | AR | 3.0mm/.118 | 57-70 |

SPORTSTER® 1971-83

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|---------|-----|-----|---------------|--------------|-------|---------------------|
| 095752 | NA | NA | FRICTION PACK | 8-095720-270 | 71-83 | Red Eagle® Sunburst |
| 095752K | NA | NA | FRICTION PACK | 8-095720K270 | 71-83 | Aramid Sunburst |
| 095753 | NA | NA | STEEL PACK | 8-095721-120 | 71-83 | |

FRICTION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|----------|-------|----------------------|-----|------------|-------|---------------------|
| 095720-270 | 37985-71 | SK-3J | FRICTION | 8 | 2.7mm/.105 | 71-83 | Red Eagle® Sunburst |
| 095720K270 | 37985-71 | SK-3K | FRICTION | 8 | 2.7mm/.105 | 71-83 | Aramid Sunburst |
| 095720-450 | 37987-71 | SK-8 | FRICTION (ONE SIDED) | 1 | 4.5mm/.178 | 71-83 | Red Eagle® 4-Track |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|------------|----------|------|---------------------|-----|------------|-------|
| 095721-120 | 37992-71 | SK-6 | STEEL (DRIVE PLATE) | 6 | 1.2mm/.047 | 71-83 |

SPORTSTER®, EVOLUTION® 1984-90

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|----------|-----|-----|---------------|--------------|-------|---------------------|
| 095752A | NA | NA | FRICTION PACK | 7-095700-380 | 84-90 | Red Eagle® Sunburst |
| 095752KA | NA | NA | FRICTION PACK | 7-095700K380 | 84-90 | Aramid Sunburst |
| 095753A | NA | NA | STEEL PACK | 5-095701-160 | 84-90 | |

ALTO PRODUCTS CORP.

MOTORCYCLE CATALOG

HARLEY-DAVIDSON® Replacement

SPORTSTER®, EVOLUTION® 1984-90

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

FRICION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|----------|-----|-------------|-----|------------|-------|---------------------|
| 095700-380 | 36788-84 | SK9 | FRICION | 7 | 3.8mm/.150 | 84-90 | Red Eagle® Sunburst |
| 095700K380 | 36788-84 | SK9 | FRICION | 7 | 3.8mm/.150 | 84-90 | Aramid |
| 095700-240 | NA | NA | FRICION | AR | 2.4mm/.095 | 84-90 | Red Eagle® Sunburst |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|------------|----------|------|-------------|-----|------------|-------|
| 095701-160 | 36787-84 | SK10 | STEEL | 5 | 1.6mm/.063 | 84-90 |

SPORTSTER® 1991-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|----------|--------------|-----|-------------------------------------|------------------------------------------------|-------|---------------------|
| 095750BC | 307-30-10011 | NA | FRICION/STEEL Carbonite® PowerPack® | 10-095730D150 10-095731B185 1-095730A185 | 91-On | Carbonite® Kolene® |
| 095752B | NA | NA | FRICION PACK | 8-095730-220 | 91-On | Red Eagle® Sunburst |
| 095752KB | NA | NA | FRICION PACK | 8-095730K220 | 91-On | Aramid Sunburst |
| 095753B | NA | NA | STEEL PACK | 8-095731-160 | 91-On | |

FRICION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|----------------------|---------|-------------|-----|------------|-------|---------------------|
| 095730-220 | 37910-90 37911-90 | HDP-11K | FRICION | 8 | 2.2mm/.087 | 91-On | Red Eagle® Parallel |
| 095730K220 | 37910-90 37911-90 | HDP-11K | FRICION | 8 | 2.2mm/.087 | 91-On | Aramid |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|------------|----------------------|--------|------------------------|-----|------------|-------|
| 095731-160 | 37913-90 | HDP-12 | STEEL | 8 | 1.6mm/.063 | 91-On |
| 095763 | 37975-90 37977-90 | NL | SPRING SEPARATOR PLATE | 1 | | 91-On |

HARLEY-DAVIDSON® Replacement

BIG TWIN® 1941-67

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|-----------|--------------|-----|-------------------------------------|-------------------------------|-------|---------------------|
| 095750DC | 304-30-10005 | NA | FRICION/STEEL Carbonite® PowerPack® | 6-095760B386 5-095761BK300 | 41-67 | Carbonite® Kolene® |
| 095750DCX | NA | NA | FRICION/STEEL Carbonite® PowerPack® | 6-095760B386 6-095761A290 | 41-67 | Carbonite® |
| 095750 | NA | NA | FRICION/STEEL PACK | 4-095760K530 3-095761-290 | 41-67 | Carbonite® |
| 095752C | NA | NA | FRICION PACK | 4-095760-530 | 41-67 | Red Eagle® Sunburst |
| 095752N | NA | NA | FRICION PACK with Backing Plate | 4-095760-530 1-095762KT | 41-67 | Red Eagle® Sunburst |
| 095752KN | NA | NA | FRICION PACK with Backing Plate | 4-095760K530 1-095762KT | 41-67 | Aramid Sunburst |
| 095753C | NA | NA | STEEL PACK | 3-095761-290 | 41-67 | |
| 095753AC | NA | NA | STEEL PACK with Anti-Rattler | 3-095761A290 | 41-67 | |
| 095753CX | NA | NA | STEEL PACK with Small 6 Lug Design | 3-095761B290 | 41-67 | |
| 095753K | NA | NA | STEEL PACK with Anti-Rattler | 1-09576A290 | 41-67 | |

FRICION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|-----------|--------|----------------------------------|-----|------------|-------|-------------------|
| 095760-530 | 37930-68A | HDP-5 | FRICION | 4 | 5.3mm/.210 | 41-67 | Red Eagle® |
| 095760K530 | 37930-68A | HDP-5 | FRICION | 4 | 5.3mm/.210 | 41-67 | Aramid |
| 095762KT | 37549-41 | HDP-4B | BACKING PLATE BIG TWIN® W/RIVETS | 1 | | 41-67 | One Sided w/Holes |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|----------------------|-------|----------------------------------|-----|------------|-------|----------------|
| 095761-290 | 37975-41 37975-81 | HDP-6 | STEEL | 3 | 2.9mm/.115 | 41-67 | |
| 095761A290 | 37975-41 37975-81 | NA | STEEL W/SILENCERS, ANTI-RATTLERS | 3 | 2.9mm/.115 | 41-67 | |
| 095761B290 | 37975-41 37975-81 | NL | STEEL | 3 | 2.9mm/.115 | 41-67 | w/6 Small Lugs |

BIG TWIN® 1967-83

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|-----------|--------------|-----|-------------------------------------|-------------------------------|-------|---------------------|
| 095750DC | 304-30-10005 | NA | FRICION/STEEL Carbonite® PowerPack® | 6-095760B386 5-095761BK300 | 67-83 | Carbonite® Kolene® |
| 095750DCX | NA | NA | FRICION/STEEL Carbonite® PowerPack® | 6-095760B386 6-095761A290 | 67-83 | Carbonite® |
| 095752D | NA | NA | FRICION PACK | 5-095760-530 | 67-83 | Red Eagle® Sunburst |
| 095752KD | NA | NA | FRICION PACK | 5-095760K530 | 67-83 | Aramid Sunburst |
| 095752M | NA | NA | FRICION PACK with Backing Plate | 5-095760-530 1-095762KT | 67-83 | Red Eagle® Sunburst |
| 095752KM | NA | NA | FRICION PACK with Backing Plate | 5-095760K530 1-095762KT | 67-83 | Aramid Sunburst |
| 095753D | NA | NA | STEEL PACK | 4-095761-290 | 67-83 | |
| 095753AD | NA | NA | STEEL PACK with Anti-Rattler | 4-095761A290 | 67-83 | |
| 095753DX | NA | NA | STEEL PACK with Small 6 Lug Design | 4-095761B290 | 67-83 | |

ALTO PRODUCTS CORP.

MOTORCYCLE CATALOG

HARLEY-DAVIDSON® Replacement

BIG TWIN® 1967-83

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

FRICION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|-----------|--------|----------------------------------|-----|------------|-------|-------------------|
| 095760-530 | 37930-68A | HDP-5 | FRICION | 5 | 5.3mm/.210 | 67-83 | Red Eagle® |
| 095760K530 | 37930-68A | HDP-5 | FRICION | 5 | 5.3mm/.210 | 67-83 | Aramid |
| 095762KT | 37549-41 | HDP-4B | BACKING PLATE BIG TWIN® W/RIVETS | 1 | | 67-83 | One Sided w/Holes |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|----------------------|-------|----------------------------------|-----|------------|-------|----------------|
| 095761-290 | 37975-41 37975-81 | HDP-6 | STEEL | 4 | 2.9mm/.115 | 67-83 | |
| 095761A290 | 37975-41 37975-81 | NA | STEEL W/SILENCERS, ANTI-RATTLERS | 4 | 2.9mm/.115 | 67-83 | |
| 095761B290 | 37975-41 37975-81 | NL | STEEL | 4 | 2.9mm/.115 | 67-83 | w/6 Small Lugs |

BIG TWIN® 1984-89

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|----------|--------------|-----|-------------------------------------|--------------------------------------------------------------|-------|---------------------|
| 095750EC | 306-30-20017 | NA | FRICION/STEEL Carbonite® PowerPack® | 6-095770B195 6-095771A157 1-095771K106 1-095771B195 | 84-89 | Carbonite® Kolene® |
| 095750KE | NA | NA | FRICION/STEEL PACK | 6-095770K240 7-095771-120 | 84-89 | Carbonite® Kolene® |
| 095752E | NA | NA | FRICION PACK | 6-095770-240 | 84-89 | Red Eagle® Sunburst |
| 095752KE | NA | NA | FRICION PACK | 6-095770K240 | 84-89 | Aramid Sunburst |
| 095753E | NA | NA | STEEL PACK | 7-095771-120 | 84-89 | |

FRICION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|----------------------|--------|-------------|-----|------------|-------|---------------------|
| 095770-240 | 37930-84 37931-84 | HDP-9K | FRICION | 6 | 2.4mm/.094 | 84-89 | Red Eagle® Parallel |
| 095770K240 | 37930-84 37931-84 | HDP-9K | FRICION | 6 | 2.4mm/.094 | 84-89 | Aramid |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|------------|-----------|--------|-------------------------|-----|------------|-------|
| 095771-120 | 37975-84A | HDP-10 | STEEL | 7 | 1.2mm/.047 | 84-89 |
| 026767 | 37871-84 | NL | DIAPHRAGM SPRING (Dish) | 1 | 1.9mm/.075 | 84-89 |

ALTO PRODUCTS CORP.

MOTORCYCLE CATALOG

HARLEY-DAVIDSON® Replacement

BIG TWIN® 1990-97

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|----------|--------------|-----|---------------------------------------|------------------------------------------------|-------|---------------------|
| 095750BC | 307-30-10011 | NA | FRICITION/STEEL Carbonite® PowerPack® | 10-095730D150 10-095731B185 1-095730A185 | 90-97 | Carbonite® Kolene® |
| 095752B | NA | NA | FRICITION PACK | 8-095730-220 | 90-97 | Red Eagle® Sunburst |
| 095752KB | NA | NA | FRICITION PACK | 8-095730-220 | 90-97 | Aramid Sunburst |
| 095753B | NA | NA | STEEL PACK | 8-095731-160 | 90-97 | |

FRICITION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|----------------------|---------|-------------|-----|------------|-------|---------------------|
| 095730-220 | 37910-90 37911-90 | HDP-11K | FRICITION | 8 | 2.2mm/.087 | 90-97 | Red Eagle® Sunburst |
| 095730K220 | 37910-90 37911-90 | HDP-11K | FRICITION | 8 | 2.2mm/.087 | 90-97 | Aramid Sunburst |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|------------|----------------------|--------|-------------------------------------|-----|-------------|-------|
| 095731-160 | 37913-90 | HDP-12 | STEEL | 8 | 1.6mm/.063 | 90-97 |
| 095763 | 37975-90 37977-90 | NL | SPRING SEPARATOR PLATE | 1 | 5.21mm/.205 | 90-97 |
| 095763HD | 37975-90 37977-90 | NL | SPRING SEPARATOR PLATE - HEAVY DUTY | 1 | 5.21mm/.205 | 90-97 |

BIG TWIN® 1998-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|----------|--------------|-----|--------------------------------------------------------------------------------|-------------------------------------------------------------|-------|---------------------|
| 095750NC | 307-30-10013 | NA | FRICITION/STEEL Carbonite® PowerPack® | 9-095780B330 9-095781K142 1-095782AC387 | 98-On | Carbonite® Kolene® |
| 095751NC | NA | NA | FRICITION/STEEL PACK Carbonite® PowerPack® with Heavy Duty Diaphragm Spring | 9-095780B330 9-095781K142 1-095782AC387 1-095767HD | 98-On | Carbonite® Kolene® |
| 095750KP | NA | NA | FRICITION/STEEL PACK with Heavy Duty Diaphragm Spring | 8-095780AK380 1-095782AK380 8-095781 | 98-On | Aramid |
| 095752P | NA | NA | FRICITION PACK | 8-095780A380 1-095782A380 | 98-On | Red Eagle® Sunburst |
| 095752KP | NA | NA | FRICITION PACK | 8-095780AK380 1-095782AK380 | 98-On | Aramid Sunburst |
| 095753N | NA | NA | STEEL PACK | 8-095781 | 98-On | |

FRICITION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|-------------|----------|-----|-------------|-----|------------|-------|---------------------|
| 095780A380 | 37911-98 | NA | FRICITION | 8 | 3.8mm/.150 | 98-On | Red Eagle® Sunburst |
| 095780AK380 | 37911-98 | NA | FRICITION | 8 | 3.8mm/.150 | 98-On | Aramid Sunburst |
| 095782A380 | 37885-98 | NA | FRICITION | 1 | 3.8mm/.150 | 98-On | Red Eagle® Sunburst |
| 095782AK380 | 37885-98 | NA | FRICITION | 1 | 3.8mm/.150 | 98-On | Aramid Sunburst |

ALTO PRODUCTS CORP.

MOTORCYCLE CATALOG

HARLEY-DAVIDSON® Replacement

BIG TWIN® 1998-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|----------|----------------------|-----|-------------------------------------|-----|-------------|-------|
| 095781 | 37913-98 | NA | STEEL | 8 | 1.6mm/.063 | 98-On |
| 095767 | NA | NA | DIAPHRAGM SPRING | 1 | 1.81mm/.071 | 98-On |
| 095767HD | NA | NA | DIAPHRAGM SPRING (HEAVY DUTY) | 1 | 2.11mm/.083 | 98-On |
| 095763 | 37975-90 37977-90 | NL | SPRING SEPARATOR PLATE | 1 | 5.21mm/.205 | 98-On |
| 095763HD | 37975-90 37977-90 | NL | SPRING SEPARATOR PLATE - HEAVY DUTY | 1 | 5.21mm/.205 | 98-On |

BUELL 2005-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|----------|--------------|-----|-------------------------------|----------------------------------------------|-------|------------|
| 095750CC | 307-30-10090 | NA | FRICION Carbonite® PowerPack® | 8-095730D150 8-095731B185 1-095730A185 | 05-On | Carbonite® |

FRICION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|-----|-----|------------------------------------|-----|-------------|-------|------------|
| 095730D150 | NA | NA | FRICION - One side external spline | 8 | 1.50mm/.059 | 05-On | Carbonite® |
| 095731B185 | NA | NA | FRICION - One side internal spline | 8 | 1.85mm/.073 | 05-On | Carbonite® |
| 095730A185 | NA | NA | FRICION | 1 | 1.85mm/.073 | 05-On | Carbonite® |

MISCELLANEOUS ITEMS

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

RETAINER

| ALTO NO | REF | IND | DESCRIPTION | QTY | YEAR |
|-------------|-----------|-----|-------------------------------------------------|-----|-------|
| 095250 | 35810-36 | NL | RETAINER COUNTER SHAFT - 4SP | 1 | 71-On |
| 095250 UP10 | 35810-3.6 | NL | RETAINER COUNTER SHAFT - 4SP (10 PER PACK) | 1 | 71-On |
| 095251 | 11177A | NL | RETAINER CRANK CASE BEARING RIGHT | 1 | 91-On |
| 095251UP10 | 11177A | NL | RETAINER CRANK CASE BEARING RIGHT (10 PER PACK) | 1 | 91-On |
| 095252 | 11067 | NL | RETAINER RING TRANS GEAR | 6 | 91-On |

NUT - GEAR SHAFT

| ALTO NO | REF | IND | DESCRIPTION | QTY | YEAR |
|---------|----------|-----|----------------|-----|-------|
| 095301 | 24023-54 | NL | GEAR SHAFT NUT | 1 | 54-89 |

NUT - PINION GEAR

| ALTO NO | REF | IND | DESCRIPTION | QTY | YEAR |
|---------|----------|-----|---------------------------|-----|-------|
| 095300 | 24022-90 | NL | PINION GEAR NUT BIG TWIN® | 1 | 90-On |

ALTO PRODUCTS CORP.

MOTORCYCLE CATALOG

HARLEY-DAVIDSON® Replacement

MILWAUKEE EIGHT® 2017-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| FRICTION CLUTCH | | | | | |
|-----------------|-----|--------------------------------|----------------------------------|-------------|-------|
| ALTO NO | IND | DESCRIPTION | QTY | THICK | YEAR |
| 095786-381 | NL | FRICTION | 6 | .150/3.81mm | 17-On |
| 095788-384 | NL | FRICTION JUTTER PLATE | 3 | .151/3.84mm | 17-On |
| STEEL CLUTCH | | | | | |
| ALTO NO | IND | DESCRIPTION | QTY | THICK | YEAR |
| 095785-160PS | NL | BRAKE - PERFORMANCE STEEL | 7 | .063/1.6mm | 17-On |
| 095785-198PS | NL | BRAKE - PERFORMANCE STEEL | AR | .078/1.98mm | 17-On |
| 095787-201PS | NL | BRAKE - PERFORMANCE STEEL | 1 | .079/2.01mm | 17-On |
| 095787-254PS | NL | BRAKE - PERFORMANCE STEEL | 1 | .100/2.54 | 17-On |
| MODULE | | | | | |
| ALTO NO | IND | DESCRIPTION | KIT CONTENTS | QTY | YEAR |
| 095754A | NL | FRICTION PACK - G3 BLACK | 6-095786-381 3-095788-384 | 1 | 17-On |
| 095755A | NL | STEEL PACK - PERFORMANCE STEEL | 7-095785-160PS 1-095787-201PS | 1 | 17-On |

MILWAUKEE EIGHT® POWERPACK 2017-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| FRICTION CLUTCH | | | | | |
|-----------------|-----|------------------------------------------------------|------------------------------------------------------------------|-------------|-------|
| ALTO NO | IND | DESCRIPTION | QTY | THICK | YEAR |
| 095786-272 | NL | FRICTION | 8 | .107/2.72mm | 17-On |
| 095788-384 | NL | FRICTION JUTTER PLATE | 3 | .151/3.84mm | 17-On |
| STEEL CLUTCH | | | | | |
| ALTO NO | IND | DESCRIPTION | QTY | THICK | YEAR |
| 095785-142PS | NL | BRAKE - PERFORMANCE STEEL | 9 | .056/1.42mm | 17-On |
| 095787-201PS | NL | BRAKE - PERFORMANCE STEEL | 1 | .079/2.01mm | 17-On |
| MODULE | | | | | |
| ALTO NO | IND | DESCRIPTION | KIT CONTENTS | QTY | YEAR |
| 095754B | NL | FRICTION STEEL PACK - G3 BLACK AND PERFORMANCE STEEL | 8-095786-272 3-095788-384 9-095785-142PS 1-095787-201PS | 1 | 17-On |

MILWAUKEE EIGHT SCREAMING EAGLE® 2017-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| FRICTION CLUTCH | | | | | | |
|-----------------|-----|-----|-----------------------|-----|-------------|-------|
| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
| 095786-272 | NL | NL | FRICTION | 5 | .107/2.72mm | 17-On |
| 095786-381 | NL | NL | FRICTION | 2 | .150/3.81mm | 17-On |
| 095788-384 | NL | NL | FRICTION JUTTER PLATE | 3 | .151/3.84mm | 17-On |

ALTO PRODUCTS CORP.

MOTORCYCLE CATALOG

HARLEY-DAVIDSON® Replacement

MILWAUKEE EIGHT SCREAMING EAGLE® 2017-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|--------------|-----|-----|---------------------------|-----|-------------|-------|
| 095785-160PS | NL | NL | BRAKE - PERFORMANCE STEEL | 8 | .063/1.60mm | 17-On |
| 095787-201PS | NL | NL | BRAKE - PERFORMANCE STEEL | 1 | .079/2.01mm | 17-On |

MODULE

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | QTY | YEAR |
|---------|-----|-----|-----------------------------------------------------|----------------------------------------------------------------------------------|-----|-------|
| 095754C | NL | NL | FRICION STEEL PACK - G3 BLACK AND PERFORMANCE STEEL | 5-095786-272 2-095786-381 3-095788-384 8-095785-160PS 1-095787-201PS | 1 | 17-On |

V-ROD® 2001-07

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | QTY | THICK | YEAR | REMARKS |
|---------|-----|-----|--------------|------------------------------|-----|-------|-------|---------------------|
| 098752 | NA | NA | FRICION PACK | 9-098700-375 | | | 01-07 | Red Eagle® Sunburst |
| 098752K | NA | NL | FRICION PACK | 9-098700K375 | | | 01-07 | Aramid Sunburst |
| 098753 | NA | NL | STEEL PACK | 8-098701-200 | | | 01-07 | |
| 098752A | NA | NA | FRICION PACK | 7-098700-375 2-098702-380 | | | 08-On | Red Eagle® Sunburst |

FRICION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | QTY | THICK | YEAR | REMARKS |
|------------|-----------|-----|-------------|--------------|-----|-------------|-------|---------------------|
| 098700-375 | 36713-01K | NA | FRICION | | 9 | 3.75mm/.148 | 01-07 | Red Eagle® Sunburst |
| 098700K375 | 36713-01K | NA | FRICION | | 9 | 3.75mm/.148 | 01-07 | Aramid Sunburst |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR |
|------------|-----------|-----|--------------|-----|------------|-------|
| 098701-200 | 36702-01K | NA | STEEL (Dish) | 8 | 2.0mm/.078 | 01-07 |

V-ROD® 2008-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|----------|-----|-----|--------------|------------------------------|-------|-----------------|
| 098752KA | NA | NA | FRICION PACK | 7-098700K375 2-098702K380 | 08-On | Aramid Sunburst |
| 098753A | NA | NA | STEEL PACK | 7-098703-200 1-095731-200 | 08-On | |

INDIAN® / VICTORY

VICTORY 2001-13

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| FRICTION MOD | | | | | | |
|--------------|-----|-----|-------------|--------------|-------|------------|
| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
| 095758 | NA | NA | FRICTION | 9-095730-220 | 01-13 | Red Eagle® |
| 095758K | NA | NA | FRICTION | | 01-13 | Aramid |
| STEEL MOD | | | | | | |
| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | |
| 095759 | NA | NA | STEEL | 9-095731-160 | 01-13 | |

INDIAN CHIEF CHIEFTAIN 2014-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| CHIEFTAIN FRICTION PLATE | | | | | |
|--------------------------|-----|-----|-------------|-------------|---------|
| ALTO NO | REF | IND | DESCRIPTION | THICK | YEAR |
| 095792-345 | NA | NA | FRICTION | 3.45mm/.316 | 2014-On |
| CHIEFTAIN STEEL PLATE | | | | | |
| ALTO NO | REF | IND | DESCRIPTION | THICK | YEAR |
| 095793-226 | NA | NA | STEEL | 2.26mm/.089 | 2014-On |

INDIAN SCOUT (ABS, BOBBER,SIXTY) 2014-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| FRICTION MOD | | | | | | | |
|--------------|-----|-----|-------------|---------------|-------------|---------|------------|
| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | THICK | YEAR | REMARKS |
| 095756 | NA | NA | FRICTION | 7-095780A380 | 2.26mm/.089 | 2014-On | Red Eagle® |
| 095756K | NA | NA | FRICTION | 7-095780AK380 | | 2014-On | Aramid |
| STEEL MOD | | | | | | | |
| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS | |
| 095757 | NA | NA | STEEL | 7-404715-260 | 2014-On | Aramid | |

B D L ® Replacement

BDL BANDIT (Replacement) 1990-1997

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| FRICTION CLUTCH | | | | | | | |
|-----------------|-----|-----|-------------|-----|--------------|-------|---------|
| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
| 095730CK255 | NA | NA | FRICTION | AR | 2.67mm/.105 | 90-97 | Aramid |
| STEEL CLUTCH | | | | | | | |
| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | |
| 095731A120 | NA | NA | STEEL | AR | 1.19 mm/.047 | 90-97 | |

ALTO PRODUCTS CORP.

MOTORCYCLE CATALOG

BDL® Replacement

BDL BANDIT (Replacement) 1998-On

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| FRICTION CLUTCH | | | | | | | |
|-----------------|-----|-----|-------------|-----|-------------|-------|---------|
| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
| 095784AK380 | NA | NA | FRICTION | AR | 3.81mm/.150 | 98-On | Aramid |

BDL BELT DRIVE (Replacement)

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| BOXED CLUTCH PACK | | | | | |
|-------------------|-----|-----|---------------------|----------------------------------------------|---------|
| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | REMARKS |
| 320750A | NA | NA | FRICTION/STEEL PACK | 7-320722-395 7-320721-120 1-320721-300 | Aramid |

| FRICTION CLUTCH | | | | | | | |
|-----------------|----------|-----|-----------------------|-----|-------------|---------|--|
| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | REMARKS | |
| 320722-395 | ERCP-100 | NA | FRICTION - Round Dogs | 7 | 3.93mm/.155 | Aramid | |

| STEEL CLUTCH | | | | | | | |
|--------------|-----|-----|-----------------|-----|-------------|-------|--|
| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | |
| 320721-120 | NA | NA | STEEL Selective | 7 | 1.20mm/.047 | 90-97 | |
| 320721-150 | NA | NA | STEEL | 7 | 1.50mm/.059 | 91-On | |
| 320721-200 | NA | NA | STEEL Selective | 2 | 2.01mm/.079 | 90-97 | |
| 320721-250 | NA | NA | STEEL Selective | AR | 2.54mm/.100 | 90-On | |
| 320721-300 | NA | NA | STEEL Selective | 1 | 3.0mm/.118 | 90-On | |

RIVERA® Replacement

RIVERA BRUTE (Replacement)

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

| BOXED CLUTCH PACK | | | | | | | |
|-------------------|-----|-------|---------------------|--------------------------------------------------------------|-------|---------------------|--|
| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS | |
| 320750B | NA | PBC-1 | FRICTION/STEEL PACK | 7-320704A 6-095711-200 1-095711-120 1-095711-300 | 90-06 | Red Eagle® Sunburst | |
| 320750C | NA | PBC-1 | FRICTION/STEEL PACK | 7-320704B400 6-095711-200 1-095711-120 1-095711-300 | 90-06 | Carbonite® | |

| FRICTION CLUTCH | | | | | | | |
|-----------------|-----|-----|-------------|-----|-------------|-------|--------------------------|
| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
| 320704A | NA | NA | FRICTION | 7 | 4.01mm/.158 | 90-06 | Red Eagle® Sunburst |
| 320704B400 | NA | NA | FRICTION | 7 | 4.01mm/.158 | 90-06 | Carbonite® Aluminum Core |
| 320704BR | NA | NA | FRICTION | AR | 3.96mm/.156 | 90-06 | Bronze |

RIVERA® Replacement

RIVERA BRUTE (Replacement)

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|-----|-----|-------------|-----|-------------|-------|------------|
| 095711-120 | NA | NA | STEEL | 1 | 1.24mm/.049 | 90-06 | with Slots |
| 095711-200 | NA | NA | STEEL | 6 | 2.01mm/.079 | 90-06 | |
| 095711-300 | NA | NA | STEEL | 1 | 3.00mm/.118 | 90-06 | |

RIVERA PRO (Replacement)

NOT ORIGINAL - Manufactured by ALTO PRODUCTS in the USA

BOXED CLUTCH PACK

| ALTO NO | REF | IND | DESCRIPTION | KIT CONTENTS | YEAR | REMARKS |
|---------|-----|----------------|-------------------------------------------------|--------------------------------------------------------------|-------|------------|
| 320750D | NA | PC-1000-A | FRICION/STEEL PACK BIG TWIN® | 7-095764B320 7-0957511-120 1-095711-300 | 36-84 | Red Eagle® |
| 320750E | NA | PC-1100-C A | FRICION/STEEL PACK EVO®, BIG TWIN® | 7-320730 6-095711-120 1-095711-200 1-095711-300 | 85-89 | Red Eagle® |
| 320750F | NA | PC-1300-X L | FRICION/STEEL PACK EVO®, SPORTSTER® & BUELL® | 9-320720K220 8-320721-120 1-320721-300 | 91-On | Aramid |
| 320750G | NA | PC-1200-C A | FRICION/STEEL PACK BIG TWIN® | 9-320720K220 7-320721-120 2-320721-200 1-320721-300 | 90-97 | Aramid |
| 320750H | NA | PC-1298-C A | FRICION/STEEL PACK EVO® TWIN CAM | 9-320724-340 9-320723-120 1-320723-300 | 98-06 | Aramid |

FRICION CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|-----|-----|-------------|-----|-------------|-------|------------|
| 095764B320 | NA | NA | FRICION | 7 | 3.00mm/.118 | 36-84 | Red Eagle® |
| 095764BR | NA | NA | FRICION | AR | 3.00mm/.118 | 36-84 | Bronze |
| 320720K220 | NA | NA | FRICION | 9 | 2.21mm/.087 | 90-97 | Aramid |
| 320720BR | NA | NA | FRICION | AR | 2.19mm/.086 | 90-97 | Bronze |
| 320724-340 | NA | NA | FRICION | 9 | 3.40mm/.134 | 98-On | Aramid |
| 320730-240 | NA | NA | FRICION | 7 | 2.36mm/.093 | 84-90 | Red Eagle® |

STEEL CLUTCH

| ALTO NO | REF | IND | DESCRIPTION | QTY | THICK | YEAR | REMARKS |
|------------|-----|-----|-------------|-----|-------------|-------|------------|
| 095711-120 | NA | NA | STEEL | 6-7 | 1.24mm/.049 | 57-70 | with Slots |
| 095711-200 | NA | NA | STEEL | 1 | 2.01mm/.079 | 57-70 | |
| 095711-300 | NA | NA | STEEL | 1 | 3.00mm/.118 | 57-70 | |
| 320721-120 | NA | NA | STEEL | 7-8 | 1.20mm/.047 | 90-97 | |
| 320721-200 | NA | NA | STEEL | 2 | 2.01mm/.079 | 90-97 | |
| 320721-250 | NA | NA | STEEL | AR | 2.54mm/.100 | 90-On | |
| 320721-300 | NA | NA | STEEL | 1 | 3.00mm/.118 | 90-On | |
| 320723-120 | NA | NA | STEEL | 9 | 1.20mm/.047 | 98-On | |
| 320723-300 | NA | NA | STEEL | 1 | 3.00mm/.118 | 99-On | |

Import Motorcycle Applications

HODAKA

ALL

HODAKA

| Year | Description | Alto | Ref | OAT | Remarks |
|-------|-------------|------------|--------|-------------|------------------------------|
| 72-78 | Friction | 405700-240 | 034006 | .095/2.41mm | Heg - 15T - OD: 3.406"-C8PLI |
| 72-78 | Steel | 405701-076 | 934007 | .030/.76mm | 8T - ID: 2.75" |

HONDA

250 HAWK/SCRAMBLER

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|-------------|-------|-----------------------------|
| ALL | Friction | 095700-310 | HPK-40K | .123/3.12mm | 5 | Red - 12T - ID: 5.086" - SB |
| ALL | Steel | TBA | HP-2-16 | | 4 | |

305 HAWK/SCRAMBLER

HONDA 305 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|-------------|-------|-----------------------------|
| ALL | Friction | 095700-310 | HPK-40K | .123/3.12mm | 5 | Red - 12T - ID: 5.086" - SB |
| ALL | Steel | TBA | HP-2-16 | | 4 | |

ATC 200

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1981-83 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1981-83 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

ATC110

HONDA 110 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|------|-------|
| ALL | Friction | TBA | HP-6 | 3 |
| ALL | Steel | TBA | TBA | |

ATC125M

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1984-85 | Friction | TBA | HP-6 | | 3 | |
| 1984-85 | Steel | TBA | TBA | | | |
| 1986-87 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1986-87 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

ATC185S

HONDA 185 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1980-83 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1980-83 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

ATC200E/ES

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1982-84 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1982-84 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

ATC200M

HONDA 200 CC

Import Motorcycle Applications

HONDA

ATC200M

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| 1984 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1984 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

ATC200S

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1984-86 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1984-86 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

ATC200X

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1983-85 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1983-85 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |
| 1986-87 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1986-87 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 4 | 34T - OD: 4.328" |

ATC250ES/SX TRX250

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1985-87 | Friction | TBA | HPK-16 | | 5 | |
| 1985-87 | Steel | 401701 | HP-45-14 | .055/1.4mm | 4 | 24T - OD: 4.912" |

ATC250R

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1981-85 | Friction | TBA | TBA | | | |
| 1981-85 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 6 | 24T - OD: 4.912" |
| 1985-86 | Friction | TBA | HPK-20 | | 7 | |
| 1985-86 | Steel | 401701-150 | HP-45-15 | .059/1.5mm | 6 | 24T - OD: 4.912" |

ATC350X

HONDA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1985-86 | Friction | TBA | HPK-20 | | 6 | |
| 1985-86 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

ATC-70

HONDA 70 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1978-85 | Friction | TBA | HP-5-70 | 2 |
| 1978-85 | Steel | TBA | TBA | |

ATC90 AUTO

HONDA 90 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|------|-------|
| ALL | Friction | TBA | HP-6 | 3 |
| ALL | Steel | TBA | TBA | |

C100/110

Import Motorcycle Applications

HONDA

C100/110

HONDA 50 CC

| Year | Description | Alto | Ref |
|------|-------------|------|-----|
| ALL | Steel | TBA | TBA |

CA/CB/CL160

HONDA 160 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-3A | | 5 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 5 | 24T - OD: 4.912" |

CA95/CB92

HONDA 150 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-3A | | 4 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 3 | 24T - OD: 4.912" |

CB 1000

HONDA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1994-95 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 8 | Red - 12T - ID: 5.086" - SB |
| 1994-95 | Friction | TBA | HPK-66A | | 1 | |
| 1994-95 | Steel | TBA | HP-2-20 | | 8 | |

CB 919F

HONDA 919 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| 2002 | Friction | TBA | HPK-20 | | 7 | |
| 2002 | Friction | TBA | HPK-20B | | 1 | |
| 2002 | Steel | 403707-250 | HP-69-25 | .098/2.5mm | 7 | 25T - OD: 4.914" |

CB/CL/SL100

HONDA 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| ALL | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| ALL | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

CB/CL/SL350 TWINS

HONDA 350 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1968-73 | Friction | TBA | 545-3A | 8 |
| 1968-73 | Steel | TBA | HP-2-12 | 6 |

CB/CL450

HONDA 450 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1967-72 | Friction | TBA | HPK-66A | 7 |
| 1967-72 | Steel | TBA | HP-24-20 | 6 |

CB/CM400 TWIN

HONDA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------|--------|-----|-------|---------|
| 1979-81 | Friction | TBA | HPK-16 | | 6 | |

Import Motorcycle Applications

HONDA

CB/CM400 TWIN

HONDA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1979-81 | Friction | TBA | HPK-20B | | 1 | |
| 1979-81 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 6 | 24T - OD: 4.912" |

CB/XL/SL175

HONDA 175 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-20 | | 5 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 4 | 24T - OD: 4.912" |

CB1000C

HONDA 1000 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|----------|-------|
| 1983 | Friction | TBA | TBA | |
| 1983 | Steel | TBA | HP-27-23 | 6 |

CB1100F

HONDA 1100 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|----------|-------|
| 1983 | Friction | TBA | TBA | |
| 1983 | Steel | TBA | HP-27-23 | 6 |

CB125S

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1979-82 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1979-82 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

CB200T

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-20 | | 5 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 4 | 24T - OD: 4.912" |

CB250 NIGHTHAWK

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1991-00 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 1991-00 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 6 | 34T - OD: 4.328" |

CB350F/F1 FOURS

HONDA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-16 | | 6 | |
| ALL | Friction | TBA | HPK-20B | | 1 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 6 | 24T - OD: 4.912" |

CB-360/G,CJ360T

HONDA 360 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1976-77 | Friction | TBA | 545-3A | 6 |

Import Motorcycle Applications

HONDA

CB-360/G,CJ360T

HONDA 360 CC

| | | | | |
|---------|-------|-----|---------|---|
| 1976-77 | Steel | TBA | HP-2-12 | 7 |
|---------|-------|-----|---------|---|

CB400 F/F1 FOURS

HONDA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-16 | | 6 | |
| ALL | Friction | TBA | HPK-20B | | 1 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 6 | 24T - OD: 4.912" |

CB400F/CB1

HONDA 400 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1989-90 | Friction | TBA | HPK-60A | 4 |
| 1989-90 | Friction | TBA | HPK-66A | 1 |
| 1989-90 | Steel | TBA | HP-2-20 | 4 |

CB450SC

HONDA 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1982-86 | Friction | TBA | HPK-16 | | 6 | |
| 1982-86 | Friction | TBA | HPK-20B | | 1 | |
| 1982-86 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 6 | 24T - OD: 4.912" |

CB500K1/K2

HONDA 500 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|---------|-------|
| ALL | Friction | TBA | HPK-60A | 7 |
| ALL | Steel | TBA | HP-2-12 | 6 |

CB500T

HONDA 500 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| thru 76 | Friction | TBA | HPK-66A | 7 |
| thru 76 | Steel | TBA | HP-24-20 | 6 |

CB550FOUR

HONDA 550 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|---------|-------|
| ALL | Friction | TBA | 545-3A | 6 |
| ALL | Friction | TBA | HPK-14B | 1 |
| ALL | Steel | TBA | HP-2-20 | 6 |

CB550SC

HONDA 550 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|---------|-------|
| 1983 | Friction | TBA | HPK-60A | 6 |
| 1983 | Steel | TBA | HP-2-20 | 5 |

CB650C/SC

HONDA 650 CC

Import Motorcycle Applications

HONDA

CB650C/SC

HONDA 650 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1979-82 | Friction | TBA | 545-3A | 7 |
| 1979-82 | Friction | TBA | HPK-14B | 1 |
| 1979-82 | Steel | TBA | HP-2-16 | 7 |

CB650SC

HONDA 650 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1983-On | Friction | TBA | HPK-60A | 6 |
| 1983-On | Steel | TBA | HP-2-20 | 5 |

CB700SC

HONDA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1984-86 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1984-86 | Steel | TBA | HP-24-20 | | 5 | |

CB750 DOHC CB 750SC

HONDA 750 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1979-83 | Friction | TBA | TBA | |
| 1979-83 | Steel | TBA | HP-27-23 | 6 |

CB750 NIGHTHAWK

HONDA 750 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1991-03 | Friction | TBA | HPK-60A | 6 |
| 1991-03 | Friction | TBA | HPK-66A | 1 |
| 1991-03 | Steel | TBA | HP-2-20 | 6 |

CB750K/F

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1969-78 | Friction | 097700-250 | TBA | .096/2.44mm | | Red - 12T - ID: 4.717" - SB |
| 1969-78 | Friction | 097700-300 | TBA | .118/3.0mm | | Red - 12T - ID: 4.717" - SB |
| 1969-78 | Steel | TBA | HP-24-20 | | 6 | |

CB900C/F

HONDA 900 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1980-82 | Friction | TBA | TBA | |
| 1980-82 | Steel | TBA | HP-27-23 | 6 |

CBR 1000F

HONDA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1987-91 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 8 | Red - 12T - ID: 5.086" - SB |
| 1987-91 | Friction | TBA | HPK-66A | | 1 | |
| 1987-91 | Steel | TBA | HP-2-20 | | 8 | |
| 1993-96 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 8 | Red - 12T - ID: 5.086" - SB |
| 1993-96 | Friction | TBA | HPK-66A | | 1 | |

Import Motorcycle Applications

HONDA

CBR 1000F

HONDA 1000 CC

| | | | | | | |
|---------|-------|-----|---------|--|---|--|
| 1993-96 | Steel | TBA | HP-2-20 | | 8 | |
|---------|-------|-----|---------|--|---|--|

CBR 900RR

HONDA 900 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1993-95 | Friction | TBA | HPK-20 | | 8 | |
| 1993-95 | Friction | TBA | HPK-20B | | 1 | |
| 1993-95 | Steel | 403707-230 | HP-69-23 | .090/2.3mm | 8 | 25T - OD: 4.914" |
| 1996-97 | Friction | TBA | HPK-16 | | 9 | |
| 1996-97 | Friction | TBA | HPK-20B | | 1 | |
| 1996-97 | Steel | 403707-250 | HP-69-25 | .098/2.5mm | 9 | 25T - OD: 4.914" |
| 1998-99 | Friction | TBA | HPK-20 | | 7 | |
| 1998-99 | Friction | TBA | HPK-20B | | 1 | |
| 1998-99 | Steel | 403707-250 | HP-69-25 | .098/2.5mm | 7 | 25T - OD: 4.914" |

CBR 929RR

HONDA 929 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 2000-01 | Friction | TBA | HPK-20 | | 8 | |
| 2000-01 | Friction | TBA | HPK-20B | | 1 | |
| 2000-01 | Steel | 403707-230 | HP-69-23 | .090/2.3mm | 8 | 25T - OD: 4.914" |

CBR 954RR

HONDA 954 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 2002-03 | Friction | TBA | HPK-20 | | 8 | |
| 2002-03 | Friction | TBA | HPK-20B | | 1 | |
| 2002-03 | Steel | 403707-230 | HP-69-23 | .090/2.3mm | 8 | 25T - OD: 4.914" |

CBR1100XX

HONDA 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------------------|
| 1997-98 | Friction | 095700-300 | K-900K | .118/3.0mm | 9 | Red - 12T - ID: 5.086" - SB |
| 1997-98 | Steel | TBA | HP-27-20 | | 8 | |
| 1999-02 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1999-02 | Steel | TBA | HP-27-20 | | 6 | |

CBR250/VTR250

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| ALL | Friction | 089700A300 | HPK-19 | .118/3.0mm | 7 | Red - 8T - ID: 3.594" - SM |
| ALL | Steel | 404711-200 | HP-62-20 | .079/2.0mm | 6 | 34T - OD: 4.328" |

CBR400R

HONDA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1991-On | Friction | TBA | HPK-20 | | 6 | |
| 1991-On | Friction | TBA | HPK-20B | | 1 | |
| 1991-On | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 6 | 24T - OD: 4.912" |

CBR600F

Import Motorcycle Applications

HONDA

CBR600F

HONDA 600 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1987-90 | Friction | TBA | HPK-60A | 5 |
| 1987-90 | Friction | TBA | HPK-66A | 1 |
| 1987-90 | Steel | TBA | HP-2-20 | 5 |

CBR600F2

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1991-94 | Friction | TBA | HPK-20 | | 8 | |
| 1991-94 | Friction | TBA | HPK-20B | | 1 | |
| 1991-94 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 8 | 25T - OD: 4.914" |

CBR600F3

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1995-98 | Friction | TBA | HPK-20 | | 8 | |
| 1995-98 | Friction | TBA | HPK-20B | | 1 | |
| 1995-98 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 8 | 25T - OD: 4.914" |

CBR600F4

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1999-00 | Friction | TBA | HPK-20 | | 7 | |
| 1999-00 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 6 | 25T - OD: 4.914" |

CBR600F4I

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 2001-02 | Friction | TBA | HPK-20 | | 7 | |
| 2001-02 | Friction | TBA | HPK-20B | | 1 | |
| 2001-02 | Steel | 403707-250 | HP-69-25 | .098/2.5mm | 7 | 25T - OD: 4.914" |

CBR600RR

HONDA 600 CC

| Year | Description | Alto | Ref |
|------|-------------|------|-----|
| 2003 | Friction | TBA | TBA |
| 2003 | Steel | TBA | TBA |

CBX

HONDA 1000 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------------|----------|-------|
| 1979-82 | Friction | 099710-360 | TBA | |
| 1979-82 | Steel | TBA | HP-26-20 | 7 |

CL/CB200

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-20 | | 5 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 4 | 24T - OD: 4.912" |

CL/DL175

Import Motorcycle Applications

HONDA

CL/DL175

HONDA 175 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-20 | | 6 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 5 | 24T - OD: 4.912" |

CM125

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|--------|------------|-------|----------------------------|
| 1977 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1977 | Steel | TBA | TBA | | | |

CM200T

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1980-82 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1980-82 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

CM450E/C

HONDA 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1982-83 | Friction | TBA | HPK-16 | | 6 | |
| 1982-83 | Friction | TBA | HPK-20B | | 1 | |
| 1982-83 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 6 | 24T - OD: 4.912" |

CMX 250C REBEL

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------------|-------------|------------|----------|------------|-------|----------------------------|
| 1996-97-99 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 1996-97-99 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 6 | 34T - OD: 4.328" |

CMX250C

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1985-86 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 1985-86 | Steel | 401703 | HP-57-16 | .063/1.6mm | 6 | 24T - OD: 4.328" |
| 1987 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 1987 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 6 | 34T - OD: 4.328" |

CMX450C

HONDA 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1986-87 | Friction | TBA | HPK-16 | | 6 | |
| 1986-87 | Friction | TBA | HPK-20B | | 1 | |
| 1986-87 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 6 | 24T - OD: 4.912" |

CR125M

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1974-78 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1974-78 | Friction | TBA | HPK-19A | | 6 | |
| 1974-78 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |
| 1974-78 | Steel | 404711-120 | HP-62-12 | .047/1.2mm | 5 | 34T - OD: 4.328" |

Import Motorcycle Applications

HONDA

CR125R

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1979-80 | Friction | TBA | TBA | | | |
| 1979-80 | Steel | 404711-120 | HP-62-12 | .047/1.2mm | 5 | 34T - OD: 4.328" |
| 1981 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 1981 | Steel | 404711-120 | HP-62-12 | .047/1.2mm | 5 | 34T - OD: 4.328" |
| 1982 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 7 | Red - 8T - ID: 3.594" - SM |
| 1982 | Steel | 404711-140 | HP-62-14 | .055/1.4mm | 6 | 34T - OD: 4.328" |
| 1983-84 | Friction | TBA | HPK-20 | | 6 | |
| 1983-84 | Steel | 401701-150 | HP-45-15 | .059/1.5mm | 5 | 24T - OD: 4.912" |
| 1985 | Friction | TBA | HPK-49A | | 6 | |
| 1985 | Steel | 401701-150 | HP-45-15 | .059/1.5mm | 5 | 24T - OD: 4.912" |
| 1986-99 | Friction | TBA | HPK-49A | | 7 | |
| 1986-99 | Steel | 401701-150 | HP-45-15 | .059/1.5mm | 6 | 24T - OD: 4.912" |
| 2000-03 | Friction | TBA | HPK-49A | | 8 | |
| 2000-03 | Steel | 401701-150 | HP-45-15 | .059/1.5mm | 7 | 24T - OD: 4.912" |

CR250M

HONDA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1973-77 | Friction | TBA | 545-3A | 7 |
| 1973-77 | Steel | TBA | HP-2-12 | 6 |

CR250R

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1978-80 | Friction | TBA | TBA | | | |
| 1978-80 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 6 | 24T - OD: 4.912" |
| 1981 | Friction | TBA | 545-3A | | 7 | |
| 1981 | Steel | TBA | HP-2-12 | | 6 | |
| 1982 | Friction | TBA | 545-3A | | 7 | |
| 1982 | Steel | TBA | HP-2-12 | | 6 | |
| 1983-89 | Friction | TBA | HPK-39A | | 7 | |
| 1983-89 | Steel | 401705-150 | HP-46-15 | .059/1.5mm | 6 | 28T - ID: 5.466" |
| 1990-96 | Friction | TBA | HPK-39A | | 8 | |
| 1990-96 | Steel | 401705-150 | HP-46-15 | .059/1.5mm | 7 | 28T - ID: 5.466" |
| 1997-03 | Friction | TBA | HPK-39A | | 8 | |
| 1997-03 | Steel | 401705-150 | HP-46-15 | .059/1.5mm | 5 | 28T - ID: 5.466" |
| 1997-03 | Steel | 401705-155 | HP-46-16 | .059/1.5mm | 2 | 28T - ID: 5.466" |

CR450R

HONDA 450 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|---------|-------|
| 1981 | Friction | TBA | 545-3A | 7 |
| 1981 | Steel | TBA | HP-2-12 | 6 |

CR480R

HONDA 480 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|------------------|
| 1982 | Friction | TBA | 545-3A | | 7 | |
| 1982 | Friction | TBA | HPK-39A | | 7 | |
| 1982 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 6 | 28T - ID: 5.466" |

Import Motorcycle Applications

HONDA

CR480R

HONDA 480 CC

| | | | | |
|------|-------|-----|---------|---|
| 1982 | Steel | TBA | HP-2-12 | 6 |
|------|-------|-----|---------|---|

CR500R

HONDA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1984-89 | Friction | TBA | HPK-39A | | 7 | |
| 1984-89 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 6 | 28T - ID: 5.466" |
| 1990-01 | Friction | TBA | HPK-39A | | 8 | |
| 1990-01 | Steel | 401705-150 | HP-46-15 | .059/1.5mm | 7 | 28T - ID: 5.466" |

CR60R

HONDA 60 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1983-84 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1983-84 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

CR80R

HONDA 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1980-83 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1980-83 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |
| 1984-02 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1984-02 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

CR85R

HONDA 85 CC

| Year | Description | Alto | Ref |
|------|-------------|------|-----|
| 2003 | Friction | TBA | TBA |
| 2003 | Steel | TBA | TBA |

CRF150F

HONDA 150 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| 2003 | Friction | TBA | HPK19 | | 5 | |
| 2003 | Friction | TBA | HPK-48B | | 1 | |
| 2003 | Steel | 404711-200 | HP-62-20 | .079/2.0mm | 5 | 34T - OD: 4.328" |

CRF450R

HONDA 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 2002-03 | Friction | TBA | HPK-39A | | 8 | |
| 2002-03 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 7 | 28T - ID: 5.466" |

CT/ST90

HONDA 90 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|------|-------|
| ALL | Friction | TBA | HP-6 | 3 |
| ALL | Steel | TBA | TBA | |

CT110

HONDA 110 CC

Import Motorcycle Applications

HONDA

CT110

HONDA 110 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|------|-------|
| 1980-86 | Friction | TBA | HP-6 | 3 |
| 1980-86 | Steel | TBA | TBA | |

CT125

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| 1977 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1977 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

CT200/T200

HONDA 110 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| ALL | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| ALL | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

CT-70

HONDA 70 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|---------|-------|
| ALL | Friction | TBA | HP-5-70 | 2 |
| ALL | Steel | TBA | TBA | |

CX500CD

HONDA 500 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1978-82 | Friction | TBA | 545-3A | 6 |
| 1978-82 | Friction | TBA | HPK-14B | 1 |
| 1978-82 | Steel | TBA | HP-2-16 | 5 |

FT500 ASCOT

HONDA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1982-83 | Friction | TBA | HPK-16 | | 6 | |
| 1982-83 | Friction | TBA | HPK-20B | | 1 | |
| 1982-83 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 7 | 24T - OD: 4.912" |

GL 1000/L

HONDA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1975-79 | Friction | 097700-250 | TBA | .096/2.44mm | | Red - 12T - ID: 4.717" - SB |
| 1975-79 | Friction | 097700-300 | TBA | .118/3.0mm | | Red - 12T - ID: 4.717" - SB |
| 1975-79 | Steel | TBA | HP-24-20 | | 6 | |

GL1800

HONDA 1800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------------------|
| 2002-03 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 2002-03 | Friction | TBA | HDP-13B | | 1 | |
| 2002-03 | Steel | TBA | HP-27-20 | | 7 | |

GL500

Import Motorcycle Applications

HONDA

GL500

HONDA 500 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1981-82 | Friction | TBA | 545-3A | 6 |
| 1981-82 | Friction | TBA | HPK-14B | 1 |
| 1981-82 | Steel | TBA | HP-2-16 | 5 |

GOLDWING

HONDA 1500 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|----------|-------|
| ALL | Friction | TBA | TBA | |
| ALL | Steel | TBA | HP-27-16 | 8 |

GT/NT650 HAWK

HONDA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1988-91 | Friction | TBA | HPK-16 | | 7 | |
| 1988-91 | Friction | TBA | HPK-20B | | 1 | |
| 1988-91 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 7 | 24T - OD: 4.912" |

MB-5

HONDA 50 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| 1982 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 3 | Red - 8T - ID: 3.594" - SM |
| 1982 | Steel | 401703 | HP-57-16 | .063/1.6mm | 2 | 24T - OD: 4.328" |

MR175

HONDA 175 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1976-77 | Friction | TBA | HPK-19A | | 6 | |
| 1976-77 | Steel | 404711-120 | HP-62-12 | .047/1.2mm | 5 | 34T - OD: 4.328" |

MT125

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| 1976 | Friction | TBA | HPK-19A | | 5 | |
| 1976 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 4 | 34T - OD: 4.328" |

MT125R/R11 ROADRACER

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1977-78 | Friction | TBA | HPK-19A | | 6 | |
| 1977-78 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 4 | 34T - OD: 4.328" |

NX650

HONDA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1988-89 | Friction | TBA | HPK-39A | | 7 | |
| 1988-89 | Steel | 401705 | HP-46-14 | .055/1.4mm | 6 | 28T - ID: 5.466" |

PC800 PACIFIC COST

HONDA 800 CC

Import Motorcycle Applications

HONDA

PC800 PACIFIC COST

HONDA 800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1989-99 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1989-99 | Steel | TBA | HP-24-14 | | 6 | |

RC30

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1990-91 | Friction | TBA | HPK-20 | | 10 | |
| 1990-91 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 9 | 25T - OD: 4.914" |

RC51

HONDA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------------------|
| 2000-01 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 2000-01 | Steel | TBA | HP-27-20 | | 6 | |

RC-51

HONDA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------------------|
| 2002-03 | Friction | 095700-300 | K-900K | .118/3.0mm | 6 | Red - 12T - ID: 5.086" - SB |
| 2002-03 | Friction | TBA | HDP-13B | | 1 | |
| 2002-03 | Steel | TBA | HP-27-20 | | 6 | |

RS125 DRY

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1995-98 | Friction | TBA | TBA | | | |
| 1995-98 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 5 | 34T - OD: 4.328" |
| thru 94 | Friction | TBA | TBA | | | |
| thru 94 | Steel | 401701-150 | HP-45-15 | .059/1.5mm | 5 | 24T - OD: 4.912" |

RS125 WET

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-49A | | 7 | |
| ALL | Steel | 401701-150 | HP-45-15 | .059/1.5mm | 6 | 24T - OD: 4.912" |

RS250 DRY

HONDA 250 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|-----------|-------|
| ALL | Friction | TBA | HPK-47RM | 6 |
| ALL | Steel | TBA | HPK-45-20 | 5 |

RS250WET

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| thru 98 | Friction | TBA | HPK-20 | | 6 | |
| thru 98 | Friction | TBA | HPK-20B | | 1 | |
| thru 98 | Steel | 401701-150 | HP-45-15 | .059/1.5mm | | 24T - OD: 4.912" |

SL/SS125A

Import Motorcycle Applications

HONDA

SL/SS125A

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| 1977 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1977 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

SL175/K1

HONDA 175 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-20 | | 5 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 4 | 24T - OD: 4.912" |

ST 1300

HONDA 1300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|-----------------------------|
| 2003 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 2003 | Friction | TBA | HPD-13B | | 1 | |
| 2003 | Steel | TBA | HP-27-16 | | 7 | |

ST1100/1100A

HONDA 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1992-02 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 8 | Red - 12T - ID: 5.086" - SB |
| 1992-02 | Friction | TBA | HPK-66A | | 2 | |
| 1992-02 | Steel | TBA | HP-2-20 | | 9 | |

TL 125

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| thru 75 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| thru 75 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

TL125S

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| 1976 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1976 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

TR200 FAT CAT

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1986-87 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1986-87 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 4 | 34T - OD: 4.328" |

TRX 125

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1985-86 | Friction | TBA | HP-6 | | 3 | |
| 1985-86 | Steel | TBA | TBA | | | |
| 1987 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1987 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

TRX 250

Import Motorcycle Applications

HONDA

TRX 250

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1986-89 | Friction | TBA | HPK-20 | | 7 | |
| 1986-89 | Steel | 401701 | HP-45-14 | .055/1.4mm | 6 | 24T - OD: 4.912" |

TRX200SX/TRX200D

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1986-97 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1986-97 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 4 | 34T - OD: 4.328" |

TRX250 RECON

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1997-01 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1997-01 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 4 | 34T - OD: 4.328" |

TRX250EX

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 2002-03 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 2002-03 | Steel | 404711-160 | HP-62-16 | .063/1.6mm | 4 | 34T - OD: 4.328" |

TRX250X

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1987-88 | Friction | TBA | HPK-20 | | 6 | |
| 1987-88 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |
| 1991-92 | Friction | TBA | HPK-20 | | 6 | |
| 1991-92 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

TRX300

HONDA 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1988-99 | Friction | TBA | HPK-16 | | 6 | |
| 1988-99 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

TRX300EX

HONDA 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1993-03 | Friction | TBA | HPK-20 | | 6 | |
| 1993-03 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

TRX300FW/4X4

HONDA 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1992-00 | Friction | TBA | HPK-16 | | 6 | |
| 1992-00 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

TRX350 FOURTRAX 4X4

HONDA 350 CC

Import Motorcycle Applications

HONDA

TRX350 FOURTRAX 4X4

HONDA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 2000-02 | Friction | TBA | HPK-16 | | 6 | |
| 2000-02 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

TRX350D

HONDA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1986-89 | Friction | TBA | HPK-16 | | 6 | |
| 1986-89 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

TRX400EX

HONDA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1999-03 | Friction | TBA | HPK-20 | | 7 | |
| 1999-03 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 6 | 24T - OD: 4.912" |

TRX400FW FORMAN

HONDA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1995-98 | Friction | TBA | HPK-16 | | 6 | |
| 1995-98 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

TRX450 FORMAN

HONDA 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1998-02 | Friction | TBA | HPK-16 | | 6 | |
| 1998-02 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

TRX-90

HONDA 90 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1993-01 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1993-01 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

V45 INTERCEPTOR

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1983-86 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1983-86 | Steel | TBA | HP-24-20 | | 6 | |

V45 MAGNA (VF750C)

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1982-83 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1982-83 | Steel | TBA | HP-24-20 | | 5 | |
| 1988 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1988 | Steel | TBA | HP-24-20 | | 5 | |

V45 SABRE (VF750S)

HONDA 750 CC

Import Motorcycle Applications

HONDA

V45 SABRE (VF750S)

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1982 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1982 | Steel | TBA | HP-24-20 | | 5 | |
| 1983 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1983 | Steel | TBA | HP-24-20 | | 5 | |

V-65 MAGNA SABERE

HONDA 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------------------|
| 1983-86 | Friction | 095700-300 | K-900K | .118/3.0mm | 8 | Red - 12T - ID: 5.086" - SB |
| 1983-86 | Steel | TBA | HP-27-23 | | 7 | |

VF 1000F INTERCEPTOR

HONDA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1984 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 9 | Red - 12T - ID: 5.086" - SB |
| 1984 | Steel | TBA | HP-24-20 | | 8 | |

VF 1000R

HONDA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1985-86 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 9 | Red - 12T - ID: 5.086" - SB |
| 1985-86 | Steel | TBA | HP-24-20 | | 8 | |

VF500F INTERCEPTOR

HONDA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1984-86 | Friction | TBA | TBA | | | |
| 1984-86 | Steel | 404711-200 | HP-62-20 | .079/2.0mm | 8 | 34T - OD: 4.328" |

VF700 MAGNA/SABRE

HONDA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1984-87 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1984-87 | Steel | TBA | HP-24-20 | | 5 | |

VF700F INTERCEPTOR

HONDA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1984-85 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1984-85 | Steel | TBA | HP-24-20 | | 6 | |

VF750C/CD/C2 MAGNA DELUXE

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1994-03 | Friction | TBA | HPK-20 | | 8 | |
| 1994-03 | Friction | TBA | HPK-20B | | 1 | |
| 1994-03 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 8 | 25T - OD: 4.914" |

VFR 800

HONDA 800 CC

Import Motorcycle Applications

HONDA

VFR 800

HONDA 800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1998-99 | Friction | TBA | HPK-20 | | 8 | |
| 1998-99 | Friction | TBA | HPK-20B | | 1 | |
| 1998-99 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 8 | 25T - OD: 4.914" |
| 2000-03 | Friction | TBA | HPK-20 | | 6 | |
| 2000-03 | Friction | TBA | HPK-20B | | 2 | |
| 2000-03 | Steel | 403707-250 | HP-69-25 | .098/2.5mm | 7 | 25T - OD: 4.914" |

VFR400R/Z

HONDA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|----------------------------|
| ALL | Friction | 089700A300 | HPK-19 | .118/3.0mm | 9 | Red - 8T - ID: 3.594" - SM |
| ALL | Steel | 404711-200 | HP-62-20 | .079/2.0mm | 8 | 34T - OD: 4.328" |

VFR700F2 INTERSEPTOR

HONDA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1986-95 | Friction | TBA | HPK-20 | | 9 | |
| 1986-95 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 8 | 25T - OD: 4.914" |

VFR750F

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1990-97 | Friction | TBA | HPK-20 | | 8 | |
| 1990-97 | Friction | TBA | HPK-20B | | 1 | |
| 1990-97 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 8 | 25T - OD: 4.914" |

VFR750F INTERCEPTOR

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|------------------|
| 1986 | Friction | TBA | HPK-20 | | 8 | |
| 1986 | Friction | TBA | HPK-20B | | 1 | |
| 1986 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 8 | 25T - OD: 4.914" |

VT 800C SHADOW

HONDA 800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1988 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1988 | Steel | TBA | HP-24-20 | | 5 | |

VT1100C SHADOW

HONDA 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1985-96 | Friction | TBA | HPK-66A | | 6 | |
| 1985-96 | Steel | TBA | HP-24-20 | | 5 | |
| 1995-03 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 9 | Red - 12T - ID: 5.086" - SB |
| 1995-03 | Steel | TBA | HP-2-20 | | 8 | |
| 1997-03 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 9 | Red - 12T - ID: 5.086" - SB |
| 1997-03 | Steel | TBA | HP-2-20 | | 8 | |

VT500C

Import Motorcycle Applications

HONDA

VT500C

HONDA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1983-86 | Friction | TBA | HPK-16 | | 5 | |
| 1983-86 | Friction | TBA | HPK-20B | | 1 | |
| 1983-86 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 5 | 24T - OD: 4.912" |

VT500FT

HONDA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1983-84 | Friction | TBA | HPK-16 | | 5 | |
| 1983-84 | Friction | TBA | HPK-20B | | 1 | |
| 1983-84 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 5 | 24T - OD: 4.912" |

VT600 SHADOW

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1988-89 | Friction | TBA | HPK-16 | | 7 | |
| 1988-89 | Friction | TBA | HPK-20B | | 1 | |
| 1988-89 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 7 | 24T - OD: 4.912" |

VT600C/CD SHADOW

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1991-03 | Friction | TBA | HPK-20 | | 6 | |
| 1991-03 | Friction | TBA | HPK-20B | | 1 | |
| 1991-03 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 6 | 24T - OD: 4.912" |

VT700C SHADOW

HONDA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1986 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1986 | Steel | TBA | HP-24-20 | | 5 | |
| 1987 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1987 | Steel | TBA | HP-24-20 | | 5 | |

VT750 C/CD/CD2 SHADOW

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1998-03 | Friction | TBA | HPK-16 | | 7 | |
| 1998-03 | Friction | TBA | HPK-20B | | 1 | |
| 1998-03 | Steel | 401701-150 | HP-45-15 | .059/1.5mm | 7 | 24T - OD: 4.912" |

VT750C SHADOW

HONDA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1983 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 6 | Red - 12T - ID: 5.086" - SB |
| 1983 | Steel | TBA | HP-24-20 | | 5 | |

VTR 1000 SUPER HAWK

HONDA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1998 | Friction | 095700-310 | HPK-40K | .123/3.12mm | 10 | Red - 12T - ID: 5.086" - SB |

Import Motorcycle Applications

HONDA

VTR 1000 SUPER HAWK

HONDA 1000 CC

| | | | | |
|------|-------|-----|---------|---|
| 1998 | Steel | TBA | HP-2-20 | 9 |
|------|-------|-----|---------|---|

VTX 1300

HONDA 1300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|-----------------------------|
| 2003 | Friction | 095700-300 | K-900K | .118/3.0mm | 8 | Red - 12T - ID: 5.086" - SB |
| 2003 | Steel | TBA | HP-27-16 | | 7 | |

VTX1800C

HONDA 1800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------------------|
| 2002-03 | Friction | 095700-300 | K-900K | .118/3.0mm | 8 | Red - 12T - ID: 5.086" - SB |
| 2002-03 | Steel | TBA | HP-27-20 | | 7 | |

XL 125/S

HONDA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1976-85 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1976-85 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

XL/XR200R

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1980-84 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1980-84 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

XL100K

HONDA 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| thru 76 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |
| thru 78 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |

XL100S

HONDA 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1979-83 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1979-83 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

XL175/K1.K2

HONDA 175 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| ALL | Friction | TBA | HPK-20 | | 5 | |
| ALL | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 4 | 24T - OD: 4.912" |

XL250K

HONDA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| thru 76 | Friction | TBA | 545-3A | 7 |
| thru 76 | Steel | TBA | HP-2-16 | 6 |

XL250S

Import Motorcycle Applications

HONDA

XL250S

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1978-79 | Friction | TBA | HPK-16 | | 4 | |
| 1978-79 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 3 | 24T - OD: 4.912" |
| 1980 | Friction | TBA | HPK-16 | | 4 | |
| 1980 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 3 | 24T - OD: 4.912" |

XL250S/R

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1981-83 | Friction | TBA | HPK-16 | | 4 | |
| 1981-83 | Friction | TBA | HPK-20B | | 1 | |
| 1981-83 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 4 | 24T - OD: 4.912" |

XL350

HONDA 350 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1976-78 | Friction | TBA | 545-3A | 7 |
| 1976-78 | Steel | TBA | HP-2-16 | 6 |

XL350R

HONDA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1984-85 | Friction | TBA | HPK-20 | | 5 | |
| 1984-85 | Friction | TBA | HPK-20B | | 1 | |
| 1984-85 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

XL500R/S

HONDA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1979-82 | Friction | TBA | HPK-16 | | 6 | |
| 1979-82 | Friction | TBA | HPK-20B | | 1 | |
| 1979-82 | Steel | 401701-120 | HP-45-12 | .047/1.2mm | 6 | 24T - OD: 4.912" |

XL600R

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1983-87 | Friction | TBA | HPK-39A | | 7 | |
| 1983-87 | Steel | 401705-150 | HP-46-15 | .059/1.5mm | 6 | 28T - ID: 5.466" |

XL600V TRANSALP

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1989-90 | Friction | TBA | HPK-20 | | 6 | |
| 1989-90 | Friction | TBA | HPK-20B | | 1 | |
| 1989-90 | Steel | 401701-200 | HP-45-20 | .079/2.0mm | 6 | 24T - OD: 4.912" |

XL-70

HONDA 75 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1977-79 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 3 | Red - 8T - ID: 3.594" - SM |
| 1977-79 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

Import Motorcycle Applications

HONDA

XL-80S

HONDA 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1980-85 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 3 | Red - 8T - ID: 3.594" - SM |
| 1980-85 | Steel | 401703 | HP-57-16 | .063/1.6mm | 2 | 24T - OD: 4.328" |

XR/XL185

HONDA 185 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1979-83 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1979-83 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

XR100R

HONDA 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1981-86 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1981-86 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |
| 1997-03 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 4 | Red - 8T - ID: 3.594" - SM |
| 1997-03 | Steel | 401703 | HP-57-16 | .063/1.6mm | 3 | 24T - OD: 4.328" |

XR200R

HONDA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1984-85 | Friction | TBA | HPK-20 | | 5 | |
| 1984-85 | Steel | 401701 | HP-45-14 | .055/1.4mm | 4 | 24T - OD: 4.912" |
| 1986-03 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 5 | Red - 8T - ID: 3.594" - SM |
| 1986-03 | Steel | 401703 | HP-57-16 | .063/1.6mm | 4 | 24T - OD: 4.328" |

XR250A/Z

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1979-80 | Friction | TBA | HPK-16 | | 4 | |
| 1979-80 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 3 | 24T - OD: 4.912" |

XR250L

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1991-96 | Friction | TBA | HPK-20 | | 6 | |
| 1991-96 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

XR250R

HONDA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1981-82 | Friction | TBA | HPK-16 | | 4 | |
| 1981-82 | Friction | TBA | HPK-20B | | 1 | |
| 1981-82 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 4 | 24T - OD: 4.912" |
| 1984-85 | Friction | TBA | HPK-20 | | 5 | |
| 1984-85 | Steel | 401701 | HP-45-14 | .055/1.4mm | 4 | 24T - OD: 4.912" |
| 1986-95 | Friction | TBA | HPK-20 | | 6 | |
| 1986-95 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |
| 1996-02 | Friction | TBA | HPK-20 | | 6 | |
| 1996-02 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

XR350R

Import Motorcycle Applications

HONDA

XR350R

HONDA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1983-85 | Friction | TBA | HPK-20 | | 6 | |
| 1983-85 | Steel | 401701 | HP-45-14 | .055/1.4mm | 5 | 24T - OD: 4.912" |

XR400R

HONDA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1996-03 | Friction | TBA | HPK-20 | | 7 | |
| 1996-03 | Steel | 401701 | HP-45-14 | .055/1.4mm | 6 | 24T - OD: 4.912" |

XR500R

HONDA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1979-82 | Friction | TBA | HPK-16 | | 6 | |
| 1979-82 | Friction | TBA | HPK-20B | | 1 | |
| 1979-82 | Steel | 401701-120 | HP-45-12 | .047/1.2mm | 6 | 24T - OD: 4.912" |
| 1983-84 | Friction | TBA | HPK-39A | | 7 | |
| 1983-84 | Steel | 401705 | HP-46-14 | .055/1.4mm | 6 | 28T - ID: 5.466" |

XR600R

HONDA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1985-01 | Friction | TBA | HPK-39A | | 7 | |
| 1985-01 | Steel | 401705-150 | HP-46-15 | .059/1.5mm | 6 | 28T - ID: 5.466" |

XR650L

HONDA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1985-03 | Friction | TBA | HPK-39A | | 7 | |
| 1985-03 | Steel | 401705-150 | HP-46-15 | .059/1.5mm | 6 | 28T - ID: 5.466" |

XR650R

HONDA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 2000-03 | Friction | TBA | HPK-39B | | 1 | |
| 2000-03 | Friction | TBA | HPK-60C | | 6 | |
| 2000-03 | Steel | 401705-150 | HP-46-15 | .059/1.5mm | 6 | 28T - ID: 5.466" |

XR70R

HONDA 70 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1997-03 | Friction | TBA | HP-5-70 | 2 |
| 1997-03 | Steel | TBA | TBA | |

XR-75

HONDA 75 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1976-78 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 3 | Red - 8T - ID: 3.594" - SM |
| 1976-78 | Steel | 401703 | HP-57-16 | .063/1.6mm | 2 | 24T - OD: 4.328" |

XR80/XR80R

Import Motorcycle Applications

HONDA

XR80/XR80R

HONDA 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1979-03 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 3 | Red - 8T - ID: 3.594" - SM |
| 1979-03 | Steel | 401703 | HP-57-16 | .063/1.6mm | 2 | 24T - OD: 4.328" |

ZR50R

HONDA 50 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1988-00 | Friction | TBA | HP-5-70 | 2 |
| 1988-00 | Steel | TBA | TBA | |

ZR50RD/R

HONDA 50 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1986-87 | Friction | TBA | HP-5-70 | 2 |
| 1986-87 | Steel | TBA | TBA | |

KAWASAKI

AR-50

KAWASAKI 50 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|------------|-------|------------------|
| 1982 | Friction | TBA | K-90 | | 3 | |
| 1982 | Steel | 404701 | KP-13-16 | .063/1.6mm | 2 | 30T - OD: 3.889" |

AR-80

KAWASAKI 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|------------|-------|------------------|
| 1982 | Friction | TBA | K-90 | | 4 | |
| 1982 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

C2SS & C2TR ROADRUNNER

KAWASAKI 120 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1967-69 | Friction | TBA | TBA |
| 1967-69 | Steel | TBA | TBA |

EJ650/W650

KAWASAKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 2000-02 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 2000-02 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 2000-02 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

EL-250 ELIMINATOR

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1988-89 | Friction | 093700-250 | K-1000K | .098/2.49mm | 5 | Red - 12T - ID: 4.833" - SB |
| 1988-89 | Friction | 093700-300 | | .118/3.0mm | 5 | Red - 12T - ID: 4.833" - SB |
| 1988-89 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 4 | 30T - OD: 5.741" |

EN-450,LTD BELT

KAWASAKI 450 CC

Import Motorcycle Applications

KAWASAKI

EN-450,LTD BELT

KAWASAKI 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1985-90 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1985-90 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1985-90 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

EN-500,VULCAN 500 LTD

KAWASAKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1990-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-03 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-03 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

EX-250 NINJA 250R

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1986-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 5 | Red - 12T - ID: 4.833" - SB |
| 1986-03 | Friction | 093700-300 | | .118/3.0mm | 5 | Red - 12T - ID: 4.833" - SB |
| 1986-03 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 4 | 30T - OD: 5.741" |

EX-305,B1-GP

KAWASAKI 305 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| 1983 | Friction | TBA | K-420 | | 7 | |
| 1983 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 6 | 37T - OD: 5.505" |

EX-500,NINJA 500R

KAWASAKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1987-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1987-03 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1987-03 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

F-11

KAWASAKI 250 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1973-75 | Friction | TBA | TBA |
| 1973-75 | Steel | TBA | TBA |

F-3

KAWASAKI 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1968-70 | Friction | TBA | TBA | |
| 1968-70 | Steel | TBA | KP-5-16 | 3 |

F-5/F-9

KAWASAKI 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1970-75 | Friction | TBA | K-500 | | 7 | |
| 1970-75 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

F-6/A/B

Import Motorcycle Applications

KAWASAKI

F-6/A/B

KAWASAKI 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1971-73 | Friction | TBA | TBA | |
| 1971-73 | Steel | TBA | KP-5-16 | 3 |

F-7

KAWASAKI 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1971-75 | Friction | TBA | K-175A | 5 |
| 1971-75 | Steel | TBA | KP-5-16 | 4 |

G-31M SERIES

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1970-71 | Friction | TBA | K-90 | | 4 | |
| 1970-71 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

G3SS &G3TR

KAWASAKI 90 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1969-75 | Friction | TBA | K-90 | | 4 | |
| 1969-75 | Steel | 404701 | KP-13-16 | .063/1.6mm | 5 | 30T - OD: 3.889" |

G-4TR SERIES

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1970-75 | Friction | TBA | K-90 | | 4 | |
| 1970-75 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

G-5 SERIES

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1972-75 | Friction | TBA | K-90 | | 4 | |
| 1972-75 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

GPZ-1100

KAWASAKI 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1983-84 | Friction | TBA | K-1100K | | 9 | |
| 1983-84 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |
| 1995-96 | Friction | TBA | K-1100K | | 9 | |
| 1995-96 | Steel | TBA | TBA | | | |

H-1,MACH 3

KAWASAKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1969-76 | Friction | TBA | K-500 | | 7 | |
| 1969-76 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

H-2 MACH 4

KAWASAKI 750 CC

Import Motorcycle Applications

KAWASAKI

H-2 MACH 4

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------|
| 1972-75 | Friction | TBA | TBA | | | |
| 1972-75 | Steel | 404709-200 | KP-11-20 | .079/2.0mm | 6 | 34T - OD" 5.24" |

KD-100

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1976-79 | Friction | TBA | K-90 | | 4 | |
| 1976-79 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

KD-125

KAWASAKI 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1975-79 | Friction | TBA | K-175A | 5 |
| 1975-79 | Steel | TBA | KP-5-16 | 4 |

KD-175

KAWASAKI 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1976-79 | Friction | TBA | K-175A | 5 |
| 1976-79 | Steel | TBA | KP-5-16 | 4 |

KD-80

KAWASAKI 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1975-76 | Friction | TBA | K-90 | | 4 | |
| 1975-76 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |
| 1980-87 | Friction | TBA | K-90 | | 4 | |
| 1980-87 | Steel | TBA | TBA | | | |
| 1988-90 | Friction | TBA | K-90 | | 4 | |
| 1988-90 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

KDX-175

KAWASAKI 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1980-82 | Friction | TBA | K-175A | 6 |
| 1980-82 | Steel | TBA | KP-5-16 | 5 |

KDX-200

KAWASAKI 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1983-85 | Friction | TBA | K-175A | | 7 | |
| 1983-85 | Steel | TBA | KP-5-16 | | 6 | |
| 1986-88 | Friction | TBA | K-125 | | 7 | |
| 1986-88 | Steel | 404707-160 | KP-8-16 | .063/1.6 | 6 | 30T - OD: 4.719" |
| 1989-94 | Friction | TBA | K-125 | | 8 | |
| 1989-94 | Steel | 404707-160 | KP-8-16 | .063/1.6 | 7 | 30T - OD: 4.719" |
| 1995-03 | Friction | TBA | HPK-20 | | 7 | |
| 1995-03 | Friction | TBA | HPK-20B | | 1 | |
| 1995-03 | Steel | 401701 | HP-45-14 | .055/1.4mm | 7 | 24T - OD: 4.912" |

KDX-220, KDX-220R

Import Motorcycle Applications

KAWASAKI

KDX-220, KDX-220R

KAWASAKI 220 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1997-03 | Friction | TBA | HPK-20 | | 71 | |
| 1997-03 | Friction | TBA | HPK-20B | | 1 | |
| 1997-03 | Steel | 401701 | HP-45-14 | .055/1.4mm | 7 | 24T - OD: 4.912" |

KDX-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1980-81 | Friction | TBA | K-420 | | 6 | |
| 1980-81 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 5 | 37T - OD: 5.505" |
| 1982-84 | Friction | TBA | K-420 | | 7 | |
| 1982-84 | Steel | 404703 | KP-6-12 | .045/1.14mm | 6 | 37T - OD: 5.505" |
| 1991-94 | Friction | TBA | K-420 | | 8 | |
| 1991-94 | Steel | 404703-160 | KP-6-16 | .063/1.6mm | 7 | 37T - OD: 5.505" |

KDX-400

KAWASAKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1979-80 | Friction | TBA | K-420 | | 6 | |
| 1979-80 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 5 | 37T - OD: 5.505" |

KDX-420

KAWASAKI 420 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| 1981 | Friction | TBA | K-420 | | 6 | |
| 1981 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 5 | 37T - OD: 5.505" |

KDX-450

KAWASAKI 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| 1982 | Friction | TBA | K-420 | | 6 | |
| 1982 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 5 | 37T - OD: 5.505" |

KDX-80

KAWASAKI 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1980-81 | Friction | TBA | K-90 | | 4 | |
| 1980-81 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |
| 1982-88 | Friction | TBA | K-90 | | 5 | |
| 1982-88 | Steel | 404701 | KP-13-16 | .063/1.6mm | 4 | 30T - OD: 3.889" |

KE-100

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1976-01 | Friction | TBA | K-90 | | 4 | |
| 1976-01 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

KE-125

KAWASAKI 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1976-83 | Friction | TBA | K-175A | 5 |

Import Motorcycle Applications

KAWASAKI

KE-125

KAWASAKI 125 CC

| | | | | |
|---------|-------|-----|---------|---|
| 1976-83 | Steel | TBA | KP-5-16 | 4 |
|---------|-------|-----|---------|---|

KE-175

KAWASAKI 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1976-78 | Friction | TBA | K-175A | 5 |
| 1976-78 | Steel | TBA | KP-5-16 | 4 |
| 1980-83 | Friction | TBA | K-175A | 5 |
| 1980-83 | Steel | TBA | KP-5-16 | 4 |

KE-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1977-79 | Friction | TBA | K-420 | | 6 | |
| 1977-79 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 5 | 37T - OD: 5.505" |

KEF-300, LAKOTA 300

KAWASAKI 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1995-03 | Friction | TBA | K-420 | | 5 | |
| 1995-03 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 4 | 37T - OD: 5.505" |

KFX-400

KAWASAKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| 2003 | Friction | TBA | HPK-39A | | 7 | |
| 2003 | Friction | TBA | HPK-39B | | 1 | |
| 2003 | Steel | 404703-160 | KP-6-16 | .063/1.6mm | 7 | 37T - OD: 5.505" |

KH-100

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1976-77 | Friction | TBA | K-90 | | 4 | |
| 1976-77 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

KH-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|---------|-------|
| 1976 | Friction | TBA | K-175A | 6 |
| 1976 | Steel | TBA | KP-5-16 | 5 |

KH-400/S3

KAWASAKI 400 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1974-78 | Friction | TBA | K-175A | 7 |
| 1974-78 | Steel | TBA | KP-5-16 | 6 |

KH-500,A8: mach 3

KAWASAKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------|-------|-----|-------|---------|
| 1976 | Friction | TBA | K-500 | | 7 | |

Import Motorcycle Applications

KAWASAKI

KH-500,A8: mach 3

KAWASAKI 500 CC

| | | | | | | |
|------|-------|--------|----------|-------------|---|-----------------|
| 1976 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |
|------|-------|--------|----------|-------------|---|-----------------|

KL-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1978-84 | Friction | TBA | K-500 | | 7 | |
| 1978-84 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

KL-250 SUPER SHERPA

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|----------|-------|------------------|
| 2000-03 | Friction | TBA | K-125 | | 7 | |
| 2000-03 | Steel | 404707-160 | KP-8-16 | .063/1.6 | 6 | 30T - OD: 4.719" |

KL-250, KLR-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------|
| 1985-03 | Friction | TBA | K-500 | | 6 | |
| 1985-03 | Steel | 404709-200 | KP-11-20 | .079/2.0mm | 5 | 34T - OD" 5.24" |

KL-600,KLR

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1984-86 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1984-86 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1984-86 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

KL-650,KLR-650

KAWASAKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1987-95 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1987-95 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1987-95 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |
| 1996-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1996-03 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1996-03 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 7 | 30T - OD: 5.741" |

KL-650,TENGLIA

KAWASAKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1990-01 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-01 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-01 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

KLF-220 BAYOU-220

KAWASAKI 220 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1988-02 | Friction | TBA | HPK-20 | | 5 | |
| 1988-02 | Steel | 401701 | HP-45-14 | .055/1.4mm | 4 | 24T - OD: 4.912" |

KLF-300, BAYOU 300

Import Motorcycle Applications

KAWASAKI

KLF-300, BAYOU 300

KAWASAKI 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1986-03 | Friction | TBA | K-420 | | 5 | |
| 1986-03 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 4 | 37T - OD: 5.505" |

KLF-300, BAYOU 300 4x4

KAWASAKI 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1989-03 | Friction | TBA | K-420 | | 5 | |
| 1989-03 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 4 | 37T - OD: 5.505" |

KLF-400, BAYOU 4004X4

KAWASAKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1993-99 | Friction | TBA | K-420 | | 6 | |
| 1993-99 | Steel | 404703-160 | KP-6-16 | .063/1.6mm | 5 | 37T - OD: 5.505" |

KLT-200

KAWASAKI 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1981-84 | Friction | TBA | K-500 | | 7 | |
| 1981-84 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

KLT-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1982-85 | Friction | TBA | K-500 | | 7 | |
| 1982-85 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

KLX-125

KAWASAKI 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|---------|------------|-------|------------------|
| 2003 | Friction | TBA | TM-8 | | 5 | |
| 2003 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |

KLX-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1979-80 | Friction | TBA | K-500 | | 7 | |
| 1979-80 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

KLX-250, KLX-250R

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|----------|-------|------------------|
| 1994-96 | Friction | TBA | K-125 | | 7 | |
| 1994-96 | Steel | 404707-160 | KP-8-16 | .063/1.6 | 6 | 30T - OD: 4.719" |

KLX-300, KLX-300R

KAWASAKI 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|----------|-------|------------------|
| 1997-03 | Friction | TBA | K-125 | | 7 | |
| 1997-03 | Steel | 404707-160 | KP-8-16 | .063/1.6 | 6 | 30T - OD: 4.719" |

Import Motorcycle Applications

KAWASAKI

KLX-400

KAWASAKI 400 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|---------|-------|
| 2003 | Friction | TBA | HPK-39A | 7 |
| 2003 | Friction | TBA | HPK-39B | 1 |
| 2003 | Steel | TBA | HP-6-16 | 7 |

KLX-650, KLX-650R

KAWASAKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1993-96 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1993-96 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1993-96 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

KM-100

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1976-81 | Friction | TBA | K-90 | | 4 | |
| 1976-81 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

KS-125

KAWASAKI 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1974-75 | Friction | TBA | K-175A | 5 |
| 1974-75 | Steel | TBA | KP-5-16 | 4 |

KSF-250, MOJAVE 250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1987-03 | Friction | TBA | K-500 | | 7 | |
| 1987-03 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

KT-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1975-76 | Friction | TBA | K-175A | 5 |
| 1975-76 | Steel | TBA | KP-5-16 | 4 |

KV-100

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|------------|-------|------------------|
| 1976 | Friction | TBA | K-90 | | 4 | |
| 1976 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

KX-100

KAWASAKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1995-97 | Friction | TBA | K-80 | | 7 | |
| 1995-97 | Steel | 404701 | KP-13-16 | .063/1.6mm | 6 | 30T - OD: 3.889" |
| 1998-03 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 1998-03 | Steel | 404711-140 | HP-62-14 | .055/1.4mm | 5 | 34T - OD: 4.328" |

KX-125

Import Motorcycle Applications

KAWASAKI

KX-125

KAWASAKI 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1974-76 | Friction | TBA | K-175A | | 5 | |
| 1974-76 | Steel | TBA | KP-5-16 | | 4 | |
| 1978-82 | Friction | TBA | K-175A | | 6 | |
| 1978-82 | Steel | TBA | KP-5-16 | | 5 | |
| 1983-84 | Friction | TBA | K-175A | | 7 | |
| 1983-84 | Steel | TBA | KP-5-16 | | 6 | |
| 1985-87 | Friction | TBA | K-125 | | 7 | |
| 1985-87 | Steel | 404707-160 | KP-8-16 | .063/1.6 | 6 | 30T - OD: 4.719" |
| 1988 | Friction | TBA | K-125 | | 8 | |
| 1988 | Steel | 404707-160 | KP-8-16 | .063/1.6 | 7 | 30T - OD: 4.719" |
| 1989 | Friction | TBA | K-125 | | 8 | |
| 1989 | Steel | 404707 | KP-8-15 | .061/1.55mm | 6 | 30T - OD: 4.719" |
| 1989 | Steel | TBA | KP-8-16 | | 1 | |
| 1990-92 | Friction | TBA | K-125 | | 8 | |
| 1990-92 | Steel | 404707 | KP-8-15 | .061/1.55mm | 7 | 30T - OD: 4.719" |
| 1993 | Friction | TBA | K-125 | | 6 | |
| 1993 | Friction | TBA | K-125B | | 2 | |
| 1993 | Steel | 404707-160 | KP-8-16 | .063/1.6 | 7 | 30T - OD: 4.719" |
| 1994-02 | Friction | TBA | TM-35 | | 7 | |
| 1994-02 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |
| 2003 | Friction | TBA | TM-35 | | 7 | |
| 2003 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

KX-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1974-76 | Friction | TBA | K-420 | | 5 | |
| 1974-76 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 4 | 37T - OD: 5.505" |
| 1978-79 | Friction | TBA | K-420 | | 5 | |
| 1978-79 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 4 | 37T - OD: 5.505" |
| 1980-81 | Friction | TBA | K-420 | | 6 | |
| 1980-81 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 5 | 37T - OD: 5.505" |
| 1982-84 | Friction | TBA | K-420 | | 7 | |
| 1982-84 | Steel | 404703 | KP-6-12 | .045/1.14mm | 6 | 37T - OD: 5.505" |
| 1985 | Friction | TBA | K-252 | | 8 | |
| 1985 | Steel | 404703 | KP-6-12 | .045/1.14mm | 7 | 37T - OD: 5.505" |
| 1986 | Friction | TBA | K-252 | | 8 | |
| 1986 | Steel | 404703 | KP-6-12 | .045/1.14mm | 7 | 37T - OD: 5.505" |
| 1987 | Friction | TBA | K-420 | | 8 | |
| 1987 | Steel | 404703-155 | KP-6-15 | .061/1.55mm | 7 | 37T - OD: 5.505" |
| 1988-91 | Friction | TBA | K-420 | | 8 | |
| 1988-91 | Steel | 404703-160 | KP-6-16 | .063/1.6mm | 7 | 37T - OD: 5.505" |
| 1992-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1992-03 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1992-03 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

KX-420

KAWASAKI 420 CC

Import Motorcycle Applications

KAWASAKI

KX-420

KAWASAKI 420 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1980-81 | Friction | TBA | K-420 | | 6 | |
| 1980-81 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 5 | 37T - OD: 5.505" |

KX-500

KAWASAKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1983-84 | Friction | TBA | K-420 | | 7 | |
| 1983-84 | Steel | 404703 | KP-6-12 | .045/1.14mm | 6 | 37T - OD: 5.505" |
| 1985-86 | Friction | TBA | K-252 | | 8 | |
| 1985-86 | Steel | 404703 | KP-6-12 | .045/1.14mm | 7 | 37T - OD: 5.505" |
| 1987-03 | Friction | TBA | K-420 | | 8 | |
| 1987-03 | Steel | 404703-155 | KP-6-15 | .061/1.55mm | 7 | 37T - OD: 5.505" |

KX-60

KAWASAKI 60 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1983-03 | Friction | TBA | K-90 | | 5 | |
| 1983-03 | Steel | 404701 | KP-13-16 | .063/1.6mm | 4 | 30T - OD: 3.889" |

KX-65

KAWASAKI 65 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 2000-03 | Friction | TBA | K-90 | | 5 | |
| 2000-03 | Steel | 404701 | KP-13-16 | .063/1.6mm | 4 | 30T - OD: 3.889" |

KX-80

KAWASAKI 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1979-80 | Friction | TBA | K-90 | | 4 | |
| 1979-80 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |
| 1981-84 | Friction | TBA | K-90 | | 5 | |
| 1981-84 | Steel | 404701 | KP-13-16 | .063/1.6mm | 4 | 30T - OD: 3.889" |
| 1985-87 | Friction | TBA | K-90 | | 6 | |
| 1985-87 | Steel | 404701 | KP-13-16 | .063/1.6mm | 5 | 30T - OD: 3.889" |
| 1988-97 | Friction | TBA | K-80 | | 7 | |
| 1988-97 | Steel | 404701 | KP-13-16 | .063/1.6mm | 6 | 30T - OD: 3.889" |
| 1998-01 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 1998-01 | Steel | 404711-140 | HP-62-14 | .055/1.4mm | 5 | 34T - OD: 4.328" |

KX-85

KAWASAKI 85 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 2001-03 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 2001-03 | Steel | 404711-140 | HP-62-14 | .055/1.4mm | 5 | 34T - OD: 4.328" |

KXF-250, TECATE 4

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1987-88 | Friction | TBA | K-420 | | 8 | |
| 1987-88 | Steel | 404703-155 | KP-6-15 | .061/1.55mm | 7 | 37T - OD: 5.505" |

Import Motorcycle Applications

KAWASAKI

KXT-250,TECATE

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|-------------|-------|------------------|
| 1984-85 | Friction | TBA | K-420 | | 7 | |
| 1984-85 | Steel | 404703 | KP-6-12 | .045/1.14mm | 7 | 37T - OD: 5.505" |
| 1986-88 | Friction | TBA | K-252 | | 8 | |
| 1986-88 | Steel | 404703 | KP-6-12 | .045/1.14mm | 7 | 37T - OD: 5.505" |

KZ-1000,POLICE

KAWASAKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1982-00 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1982-00 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1982-00 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

KZ-1000,SHAFT

KAWASAKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1979-80 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1979-80 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1979-80 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

KZ-1000,Z1-R

KAWASAKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1977-80 | Friction | 095700-300 | K-900K | .118/3.0mm | 8 | Red - 12T - ID: 5.086" - SB |
| 1977-80 | Steel | TBA | KP-1-23 | | 7 | |

KZ-1100

KAWASAKI 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1981-83 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1981-83 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1981-83 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

KZ-1100, GP

KAWASAKI 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1981-83 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1981-83 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1981-83 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

KZ-200

KAWASAKI 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1978-79 | Friction | TBA | K-500 | | 7 | |
| 1978-79 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

KZ-250

KAWASAKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 1980-83 | Friction | TBA | K-500 | | 7 | |
| 1980-83 | Steel | 404709 | KP-11-16 | .061/1.55mm | 6 | 34T - OD" 5.24" |

Import Motorcycle Applications

KAWASAKI

KZ-305,LTD

KAWASAKI 305 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1981-88 | Friction | TBA | K-420 | | 7 | |
| 1981-88 | Steel | 404703-200 | KP-6-20 | .079/2.0mm | 6 | 37T - OD: 5.505" |

KZ-400

KAWASAKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1974-79 | Friction | 093700-250 | K-1000K | .098/2.49mm | 6 | Red - 12T - ID: 4.833" - SB |
| 1974-79 | Friction | 093700-300 | | .118/3.0mm | 6 | Red - 12T - ID: 4.833" - SB |
| 1974-79 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 5 | 30T - OD: 5.741" |

KZ-440

KAWASAKI 440 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1975-83 | Friction | 093700-250 | K-1000K | .098/2.49mm | 6 | Red - 12T - ID: 4.833" - SB |
| 1975-83 | Friction | 093700-300 | | .118/3.0mm | 6 | Red - 12T - ID: 4.833" - SB |
| 1975-83 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 5 | 30T - OD: 5.741" |

KZ-550

KAWASAKI 550 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1980-84 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1980-84 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1980-84 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

KZ-650

KAWASAKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1977-83 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1977-83 | Steel | TBA | KP-1-23 | | 6 | |

KZ-700

KAWASAKI 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|-----------------------------|
| 1984 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1984 | Steel | TBA | KP-1-23 | | 6 | |

KZ-750 FOURS

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1980-83 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1980-83 | Steel | TBA | KP-1-23 | | 6 | |

KZ-750 TWINS

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1976-80 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1976-80 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1976-80 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |
| 1982-84 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1982-84 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |

Import Motorcycle Applications

KAWASAKI

KZ-750 TWINS

KAWASAKI 750 CC

| | | | | | | |
|---------|-------|--------|---------|------------|---|------------------|
| 1982-84 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |
|---------|-------|--------|---------|------------|---|------------------|

KZ-900

KAWASAKI 900 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1976-77 | Friction | 093700-300 | K-900K | .118/3.0mm | 8 | Red - 12T - ID: 5.086" - SB |
| 1976-77 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

LTD-454

KAWASAKI 454 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1985-90 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1985-90 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1985-90 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

MC-1 SERIES & MC1M

KAWASAKI 90 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1973-75 | Friction | TBA | K-90 | | 4 | |
| 1973-75 | Steel | 404701 | KP-13-16 | .063/1.6mm | 3 | 30T - OD: 3.889" |

S-1 SERIES

KAWASAKI 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1973-75 | Friction | TBA | K-175A | 6 |
| 1973-75 | Steel | TBA | KP-5-16 | 5 |

S-2 & S2-A

KAWASAKI 350 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1972-73 | Friction | TBA | K-175A | 6 |
| 1972-73 | Steel | TBA | KP-5-16 | 5 |

VN1500/

KAWASAKI 1500 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1987-03 | Friction | TBA | TBA |
| 1987-03 | Steel | TBA | TBA |

VN1600

KAWASAKI 1600 CC

| Year | Description | Alto | Ref |
|------|-------------|------|-----|
| 2003 | Friction | TBA | TBA |
| 2003 | Steel | TBA | TBA |

VN-700,VULCAN

KAWASAKI 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1985 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1985 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1985 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

Import Motorcycle Applications

KAWASAKI

VN-750,VULCAN

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1986-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1986-03 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1986-03 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

VN-800,VULCAN/

KAWASAKI 800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1995-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1995-03 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1995-03 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

Z-1

KAWASAKI 900 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1973-75 | Friction | 095700-300 | K-900K | .118/3.0mm | 8 | Red - 12T - ID: 5.086" - SB |
| 1973-75 | Steel | TBA | KP-1-23 | | 7 | |

ZG-1000,CONCOURS

KAWASAKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1986-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1986-03 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1986-03 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |
| 1986-03 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |

ZG-1200 VOYAGER X11

KAWASAKI 1200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1986-91 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1986-91 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1986-91 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 8 | 30T - OD: 5.741" |
| 1986-91 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |

ZL-1000

KAWASAKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1987 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1987 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1987 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |
| 1987 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |

ZL-600

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1986-87 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1986-87 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1986-87 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | | 30T - OD: 5.741" |
| 1986-87 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |

ZL-600,ELIMINATOR 600

Import Motorcycle Applications

KAWASAKI

ZL-600,ELIMINATOR 600

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1996-97 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1996-97 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1996-97 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | | 30T - OD: 5.741" |
| 1996-97 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | 6 | 30T - OD: 5.741" |

ZL-900,ELIMINATOR

KAWASAKI 900 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1985-86 | Friction | TBA | K-100K | | 9 | |
| 1985-86 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |
| 1985-86 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |

ZN-1100,LTD

KAWASAKI 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1984-85 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1984-85 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1984-85 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

ZN1300

KAWASAKI 1300 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1983-88 | Friction | TBA | TBA |
| 1983-88 | Steel | TBA | TBA |

ZN-700,LTD

KAWASAKI 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1984-85 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1984-85 | Steel | TBA | KP-1-23 | | 6 | |

ZR 1200/ZRX1200R

KAWASAKI 1200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 2001-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 2001-03 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 2001-03 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

ZR-1000/Z-1000

KAWASAKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|-----------------|
| 2003 | Friction | TBA | YPK-13 | | 10 | |
| 2003 | Steel | 404709-230 | KP-11-23 | .090/2.3mm | 9 | 34T - OD" 5.24" |

ZR-1100

KAWASAKI 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1992-95 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1992-95 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1992-95 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

Import Motorcycle Applications

KAWASAKI

ZR-1100

KAWASAKI 1100 CC

| | | | | | | |
|---------|-------|------------|---------|------------|--|------------------|
| 1992-95 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |
|---------|-------|------------|---------|------------|--|------------------|

ZR-550,ZEPHYR

KAWASAKI 550 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1990-91 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-91 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-91 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 5 | 30T - OD: 5.741" |
| 1990-91 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | 1 | 30T - OD: 5.741" |

ZR-750,ZR750 ZEPHYR

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1991-93 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1991-93 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1991-93 | Steel | TBA | TBA | | | |

ZR-750/ZR7

KAWASAKI 750 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 2000-03 | Friction | TBA | K-1100K | 7 |
| 2000-03 | Steel | TBA | TBA | |

ZRX1100/ZR1100

KAWASAKI 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1999-00 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1999-00 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1999-00 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

ZX,750,GPZ

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1983-85 | Friction | 095700-300 | K-900K | .118/3.0mm | 7 | Red - 12T - ID: 5.086" - SB |
| 1983-85 | Steel | TBA | KP-1-23 | | 6 | |

ZX-1000, NINJA 1000R

KAWASAKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1986-87 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1986-87 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1986-87 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 8 | 30T - OD: 5.741" |

ZX-1000, NINJA ZX-10

KAWASAKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1988-90 | Friction | 093700-250 | K-1000K | .098/2.49mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1988-90 | Friction | 093700-300 | | .118/3.0mm | 9 | Red - 12T - ID: 4.833" - SB |
| 1988-90 | Steel | TBA | TBA | | | |

ZX-1100,NINJA ZX11

Import Motorcycle Applications

KAWASAKI

ZX-1100,NINJA ZX11

KAWASAKI 1100 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1990-01 | Friction | TBA | K-1100K | 9 |
| 1990-01 | Steel | TBA | TBA | |

ZX12R

KAWASAKI 1200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 2000 | Friction | TBA | HPK-60A | 11 |
| 2000 | Friction | TBA | HPK-60B | 1 |
| 2000 | Steel | TBA | HP-2-14 | 11 |
| 2000 | Steel | TBA | HP-2-20 | |
| 2001-03 | Friction | TBA | HPK-60A | 10 |
| 2001-03 | Friction | TBA | HPK-60B | 1 |
| 2001-03 | Steel | TBA | HP-2-14 | 11 |
| 2001-03 | Steel | TBA | HP-2-20 | |

ZX-550 GPZ

KAWASAKI 550 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1984-86 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1984-86 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1984-86 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

ZX-600 NINJA ZX-6R

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------|
| 1995-99 | Friction | TBA | YPK-13 | | 9 | |
| 1995-99 | Steel | 404709-230 | KP-11-23 | .090/2.3mm | 8 | 34T - OD" 5.24" |

ZX-600, NINJA 600R,A1,A2,B1

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1985-89 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1985-89 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1985-89 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 6 | 30T - OD: 5.741" |

ZX-600,NINJA 600R,C2,C3-C10

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1990-97 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-97 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-97 | Steel | 404705-200 | KP-2-20 | .079/2.0mm | 5 | 30T - OD: 5.741" |
| 1990-97 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | 1 | 30T - OD: 5.741" |

ZX-600,NINJA ZX-6,D1,D2,D3,D4

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1990-93 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-93 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1990-93 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 6 | 30T - OD: 5.741" |

ZX-600,NINJA,ZX-6 E1-E11

Import Motorcycle Applications

KAWASAKI

ZX-600,NINJA,ZX-6 E1-E11

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1993-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1993-03 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1993-03 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 6 | 30T - OD: 5.741" |

ZX636/ZX6R

KAWASAKI 636 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|-------------|-------|-----------------|
| 2003 | Friction | TBA | YPK-13 | | 9 | |
| 2003 | Steel | 404709 | KP-11-16 | .061/1.55mm | 8 | 34T - OD" 5.24" |

ZX6R

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-----------------|
| 2000-02 | Friction | TBA | YPK-13 | | 9 | |
| 2000-02 | Steel | 404709 | KP-11-16 | .061/1.55mm | 8 | 34T - OD" 5.24" |

ZX6RR

KAWASAKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|-------------|-------|-----------------|
| 2003 | Friction | TBA | YPK-13 | | 9 | |
| 2003 | Steel | 404709 | KP-11-16 | .061/1.55mm | 8 | 34T - OD" 5.24" |

ZX-750, TURBO

KAWASAKI 750 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1984-85 | Friction | TBA | K-1100K | 8 |
| 1984-85 | Steel | TBA | KP-1-23 | 7 |

ZX-750,NINJA ZX7

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1991-95 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1991-95 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1991-95 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 7 | 30T - OD: 5.741" |
| 1991-95 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |

ZX-750,NINJA ZX-7

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1989-90 | Friction | 093700-250 | K-1000K | .098/2.49mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1989-90 | Friction | 093700-300 | | .118/3.0mm | 7 | Red - 12T - ID: 4.833" - SB |
| 1989-90 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 6 | 30T - OD: 5.741" |
| 1989-90 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |

ZX-750,NINJA ZX-750R

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1987-90 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1987-90 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1987-90 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

Import Motorcycle Applications

KAWASAKI

ZX-750,NINJA ZX-7R/7RR

KAWASAKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1991-03 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1991-03 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1991-03 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 7 | 30T - OD: 5.741" |
| 1991-03 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |

ZX-900 NINJA

KAWASAKI 900 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1984-86 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1984-86 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1984-86 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

ZX-900,NINJA ZX-9R

KAWASAKI 900 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1994-97 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1994-97 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1994-97 | Steel | 404705-225 | KP-2-23 | .089/2.26mm | 7 | 30T - OD: 5.741" |
| 1994-97 | Steel | 404705-260 | KP-2-26 | .102/2.6mm | | 30T - OD: 5.741" |
| 1998-03 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1998-03 | Friction | TBA | YPK-13 | | 9 | |
| 1998-03 | Steel | 404709-230 | KP-11-23 | .090/2.3mm | 9 | 34T - OD" 5.24" |

ZZ1200R

KAWASAKI 1200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 2002-03 | Friction | TBA | K-1100K | 9 |
| 2002-03 | Steel | TBA | TBA | |

KTM

KTM 125S / 150SX

KTM 125S / 150SX

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------------|-----|-------|
| 2011-On | Friction | 406710-201 | TBA | 7 |
| 2011-On | Steel | 406711-100 | TBA | 2 |
| 2011-On | Steel | 406711-130 | TBA | 5 |
| 2011-On | Steel | 406711-152 | TBA | 5 |

SUZUKI

ALT-125

SUZUKI 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|------|-------|
| 1983-86 | Friction | TBA | TM-8 | 3 |
| 1983-86 | Steel | TBA | TBA | |

ALT-185

SUZUKI 185 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|------|-------|
| 1985 | Friction | TBA | TM-8 | 3 |

Import Motorcycle Applications

SUZUKI

ALT-185

SUZUKI 185 CC

| | | | |
|------|-------|-----|-----|
| 1985 | Steel | TBA | TBA |
|------|-------|-----|-----|

DR/SP-200

SUZUKI 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1986-88 | Friction | TBA | TM-8 | | 6 | |
| 1986-88 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |

DR/SP-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|------------|-------|
| 1982-85 | Friction | TBA | TBA | 1 |
| 1982-85 | Friction | TBA | TM-7/TM-1B | 4 |
| 1982-85 | Steel | TBA | TBA | |

DR/SP-370

SUZUKI 370 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1978-79 | Friction | TBA | TM-1 | | 5 | |
| 1978-79 | Steel | 403703 | SP-1-20 | .079/2.0mm | 5 | 36T - OD: 5.422" |

DR/SP-500E

SUZUKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|-------|-------------|-------|-----------------------------|
| 1981-83 | Friction | 096700-250 | TM-7 | .098/2.49mm | 5 | Red - 12T - ID: 4.548" - SB |
| 1981-83 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1981-83 | Steel | TBA | TBA | | | |

DR-100

SUZUKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1983-90 | Friction | TBA | TM-8 | | 5 | |
| 1983-90 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |

DR-125

SUZUKI 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1982-96 | Friction | TBA | TM-8 | | 5 | |
| 1982-96 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |

DR200SE

SUZUKI 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1996-02 | Friction | TBA | TM-8 | | 6 | |
| 1996-02 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 6 | 30T - OD: 4.522" |

DR-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1990-93 | Friction | 096700-300 | TM-17 | .118/3.0mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1990-93 | Steel | 403703-140 | SP-1-14 | .055/1.4mm | 6 | 36T - OD: 5.422" |

Import Motorcycle Applications

SUZUKI

DR-250S

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1993-95 | Friction | 096700-300 | TM-17 | .118/3.0mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1993-95 | Steel | 403703-140 | SP-1-14 | .055/1.4mm | 6 | 36T - OD: 5.422" |

DR-350

SUZUKI 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1990-93 | Friction | 096700-300 | TH-17 | .118/3.0mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1990-93 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 6 | 30T - OD: 4.522" |
| 1994-98 | Friction | 096700-300 | TH-17 | .118/3.0mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1994-98 | Steel | 403703-150 | SP-1-15 | .059/1.5mm | 6 | 36T - OD: 5.422" |

DR-350S

SUZUKI 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1990-92 | Friction | 096700-300 | TH-17 | .118/3.0mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1990-92 | Steel | 403703-140 | SP-1-14 | .055/1.4mm | 6 | 36T - OD: 5.422" |
| 1993-99 | Friction | 096700-300 | TH-17 | .118/3.0mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1993-99 | Steel | 403703-150 | SP-1-15 | .059/1.5mm | 6 | 36T - OD: 5.422" |

DR-650S

SUZUKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1992-93 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1992-93 | Friction | 096700-300 | TM-17 | .118/3.0mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1992-93 | Steel | TBA | HP-2-14 | | 6 | |
| 1994-95 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1994-95 | Friction | 096700-300 | TM-17 | .118/3.0mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1994-95 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 5 | 28T - ID: 5.466" |
| 1994-95 | Steel | TBA | SP-7-20 | | 1 | |

DR-650SE

SUZUKI 650 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1996-02 | Friction | TBA | TM-5 | 8 |
| 1996-02 | Steel | TBA | SP-4-16 | 7 |

DR-Z125

SUZUKI 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|---------|------------|-------|------------------|
| 2003 | Friction | TBA | TM-8 | | 5 | |
| 2003 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |

DR-Z250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 2001-03 | Friction | TBA | HPK-20 | | 6 | |
| 2001-03 | Friction | TBA | HPK-20B | | 1 | |
| 2001-03 | Steel | 401701-160 | HP-45-16 | .063/1.6mm | 6 | 24T - OD: 4.912" |

DRZ-400/400S

Import Motorcycle Applications

SUZUKI

DRZ-400/400S

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 2000-03 | Friction | TBA | HPK-39A | | 7 | |
| 2000-03 | Friction | TBA | HPK-39B | | 1 | |
| 2000-03 | Steel | 404703-160 | KP-6-16 | .063/1.6mm | 7 | 37T - OD: 5.505" |

DS-185

SUZUKI 185 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1978-80 | Friction | TBA | TM-8 | | 6 | |
| 1978-80 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |

DS-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|---------|------------|-------|------------------|
| 1980 | Friction | TBA | TM-1 | | 6 | |
| 1980 | Steel | 403703 | SP-1-20 | .079/2.0mm | 6 | 36T - OD: 5.422" |

DS-80

SUZUKI 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1978-00 | Friction | TBA | TM-8 | | 4 | |
| 1978-00 | Steel | 403701 | SP-5-16 | .063/1.6mm | 3 | 30T - OD: 4.522" |

GN-125

SUZUKI 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1982-84 | Friction | TBA | TM-8 | | 5 | |
| 1982-84 | Steel | TBA | TBA | | | |
| 1985-97 | Friction | TBA | TM-8 | | 5 | |
| 1985-97 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |

GN-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|-------|-------------|-------|-----------------------------|
| 1982-83 | Friction | 096700-250 | TM-7 | .098/2.49mm | 4 | Red - 12T - ID: 4.548" - SB |
| 1982-83 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1982-83 | Steel | TBA | TBA | | | |

GN-400,DP/SP-400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1980-82 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1980-82 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 5 | 36T - OD: 5.422" |

GR-650

SUZUKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|------------|-------------|-------|------------------|
| 1983 | Friction | TBA | TBA | | 1 | |
| 1983 | Friction | TBA | TM-7/TM-1B | | 7 | |
| 1983 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 7 | 28T - ID: 5.466" |

GS-1000

Import Motorcycle Applications

SUZUKI

GS-1000

SUZUKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1978-80 | Friction | 094700-250 | YPK-5 | .098/2.49mm | 8 | Brn - 12T - ID: 4.885" - SB |
| 1978-80 | Steel | TBA | SP-3-16 | | 7 | |

GS-1000/SHAFTDRIVE

SUZUKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1980-83 | Friction | 092700-300 | TBA | .118/3.0mm | | Red - 12T - ID: 4.737" - SB |
| 1980-83 | Steel | TBA | SP-4-20 | | 9 | |

GS-1100

SUZUKI 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1980-84 | Friction | 092700-300 | TBA | .118/3.0mm | | Red - 12T - ID: 4.737" - SB |
| 1980-84 | Steel | TBA | SP-4-20 | | 9 | |
| 1983 | Friction | 092700-300 | TBA | .118/3.0mm | | Red - 12T - ID: 4.737" - SB |
| 1983 | Steel | TBA | SP-4-20 | | 11 | |

GS-1150

SUZUKI 1150 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1984-86 | Friction | 092700-250 | TBA | .098/2.49mm | | Red - 12T - ID: 4.737" - SB |
| 1984-86 | Friction | 092700-300 | TBA | .118/3.0mm | | Red - 12T - ID: 4.737" - SB |
| 1984-86 | Steel | TBA | SP-4-20 | | 9 | |

GS-250T

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1980-81 | Friction | TBA | TM-8 | | 7 | |
| 1980-81 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |

GS-400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1977-78 | Friction | TBA | TM-2 | | 6 | |
| 1977-78 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 5 | 36T - OD: 5.422" |

GS-425L

SUZUKI 425 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| 1979 | Friction | TBA | TM-2 | | 6 | |
| 1979 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 5 | 36T - OD: 5.422" |

GS-450

SUZUKI 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1980-84 | Friction | 096700-250 | TM-7 | .098/2.49mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1980-84 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 6 | 36T - OD: 5.422" |

GS-450L

SUZUKI 450 CC

Import Motorcycle Applications

SUZUKI

GS-450L

SUZUKI 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1995-88 | Friction | 096700-250 | TM-7 | .098/2.49mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1995-88 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 6 | 36T - OD: 5.422" |

GS-500E

SUZUKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1988-02 | Friction | 096700-250 | TM-7 | .098/2.49mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1988-02 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 6 | 36T - OD: 5.422" |

GS-550

SUZUKI 550 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1977-86 | Friction | TBA | TM-2 | | 7 | |
| 1977-86 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 6 | 36T - OD: 5.422" |

GS-650

SUZUKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1981-83 | Friction | TBA | TBA | | | |
| 1981-83 | Steel | 403703 | SP-1-20 | .079/2.0mm | 8 | 36T - OD: 5.422" |

GS-700

SUZUKI 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|---------|------------|-------|------------------|
| 1985 | Friction | TBA | TBA | | | |
| 1985 | Steel | 403703 | SP-1-20 | .079/2.0mm | 8 | 36T - OD: 5.422" |

GS-750

SUZUKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1977-79 | Friction | 096700-250 | TM-7 | .098/2.49mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1977-79 | Friction | 096700-280 | TM-1B | .110/2.79mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1977-79 | Steel | TBA | SP-I-20 | | 8 | |

GS-750 E,ES,ESD

SUZUKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|---------|------------|-------|------------------|
| 1983 | Friction | TBA | TBA | | | |
| 1983 | Steel | 403703 | SP-1-20 | .079/2.0mm | 8 | 36T - OD: 5.422" |

GS-750 EXCEPT E,ES,ESD

SUZUKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1980-86 | Friction | TBA | TBA | | | |
| 1980-86 | Steel | 403703 | SP-1-20 | .079/2.0mm | 8 | 36T - OD: 5.422" |

GS-850

SUZUKI 850 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------|-----|-----|-------|---------|
| 1979-83 | Friction | TBA | TBA | | | |

Import Motorcycle Applications

SUZUKI

GS-850

SUZUKI 850 CC

| | | | | | | |
|---------|-------|--------|---------|------------|---|------------------|
| 1979-83 | Steel | 403703 | SP-1-20 | .079/2.0mm | 8 | 36T - OD: 5.422" |
|---------|-------|--------|---------|------------|---|------------------|

GSF-1200S BANDIT

SUZUKI 1200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1997-02 | Friction | TBA | HPK-20 | | 9 | |
| 1997-02 | Friction | TBA | HPK-20B | | 1 | |
| 1997-02 | Steel | 403707 | HP-69-16 | .063/1.6mm | 2 | 25T - OD: 4.914" |
| 1997-02 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 7 | 25T - OD: 4.914" |

GSF-400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1991-93 | Friction | TBA | TM-8 | | 8 | |
| 1991-93 | Steel | 403701 | SP-5-16 | .063/1.6mm | 7 | 30T - OD: 4.522" |

GSF-600S BANDIT

SUZUKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1996-02 | Friction | 096700-250 | TM-7 | .098/2.49mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1996-02 | Steel | TBA | SP-7-20 | | 7 | |

GSX-1100F KATANA

SUZUKI 1100 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1988-95 | Friction | TBA | TBA | |
| 1988-95 | Steel | TBA | SP-9-20 | 10 |

GSX-600 KATANA

SUZUKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1988-91 | Friction | 096700-250 | TM-7 | .098/2.49mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1988-91 | Steel | TBA | SP-7-20 | | 7 | |

GSX-600F KATANA

SUZUKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1992-97 | Friction | TBA | TBA | | | |
| 1992-97 | Steel | TBA | SP-10-16 | | 9 | |
| 1998-02 | Friction | 096700-250 | TM-7 | .098/2.49mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1998-02 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1998-02 | Steel | TBA | SP-7-20 | | 7 | |

GSX-750 KATANA

SUZUKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1998-02 | Friction | 096700-250 | TM-7 | .098/2.49mm | 7 | Red - 12T - ID: 4.548" - SB |
| 1998-02 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1998-02 | Steel | TBA | SP-7-20 | | 7 | |

GSX-750F KATANA

Import Motorcycle Applications

SUZUKI

GSX-750F KATANA

SUZUKI 750 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1988-97 | Friction | TBA | TBA | |
| 1988-97 | Steel | TBA | SP-10-16 | 9 |

GSX-R1000

SUZUKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------|
| 2001-02 | Friction | TBA | TM-35 | | 10 | |
| 2001-02 | Steel | 404709-230 | KP-11-23 | .090/2.3mm | 9 | 34T - OD: 5.24" |

GSX-R1100

SUZUKI 1100 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1986-88 | Friction | TBA | TBA | |
| 1986-88 | Steel | TBA | SP-9-20 | 10 |
| 1989-92 | Friction | TBA | TBA | |
| 1989-92 | Steel | TBA | SP-9-20 | 10 |
| 1993-94 | Friction | TBA | TBA | |
| 1993-94 | Steel | TBA | SP-9-20 | 10 |

GSX-R1100W

SUZUKI 1100 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1995-97 | Friction | TBA | TBA | |
| 1995-97 | Steel | TBA | SP-9-20 | 10 |

GSXR1300R HAYABUSA

SUZUKI 1300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------------------|
| 1999-02 | Friction | 095700-300 | K-900K | .118/3.0mm | 2 | Red - 12T - ID: 5.086" - SB |
| 1999-02 | Friction | TBA | K-1100 | | 8 | |
| 1999-02 | Steel | TBA | HP-27-20 | | 7 | |
| 1999-02 | Steel | TBA | HP-27-23 | | 2 | |

GSXR-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| ALL | Friction | TBA | TM-8 | | 6 | |
| ALL | Steel | 403701-150 | SP-5-15 | .059/1.5mm | 5 | 30T - OD: 4.522" |

GSXR-400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| ALL | Friction | TBA | TM-8 | | 8 | |
| ALL | Steel | 403701-150 | SP-5-15 | .059/1.5mm | 7 | 30T - OD: 4.522" |

GSX-R600

SUZUKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------|---------|-----|-------|---------|
| 1997-98 | Friction | TBA | HPK-20 | | 8 | |
| 1997-98 | Friction | TBA | HPK-20B | | 1 | |

Import Motorcycle Applications

SUZUKI

GSX-R600

SUZUKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1997-98 | Steel | 403707 | HP-69-16 | .063/1.6mm | 7 | 25T - OD: 4.914" |
| 1997-98 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 1 | 25T - OD: 4.914" |
| 1999-00 | Friction | TBA | HPK-20 | | 8 | |
| 1999-00 | Friction | TBA | HPK-20B | | 1 | |
| 1999-00 | Steel | 403707-230 | HP-69-23 | .090/2.3mm | 8 | 25T - OD: 4.914" |
| 2001-03 | Friction | TBA | HPK-20 | | 8 | |
| 2001-03 | Friction | TBA | HPK-20B | | 1 | |
| 2001-03 | Steel | 403707-250 | HP-69-25 | .098/2.5mm | 7 | 25T - OD: 4.914" |
| 2001-03 | Steel | 404707-230 | HP-69-23 | .090/2.3mm | 1 | 30T - OD: 4.719" |

GSX-R600W

SUZUKI 600 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1992-93 | Friction | TBA | TBA | |
| 1992-93 | Steel | TBA | SP-10-20 | 7 |

GSX-R750

SUZUKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|-----------|-------------|-------|-----------------------------|
| 1986-87 | Friction | 096700-250 | TM-7 | .098/2.49mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1986-87 | Steel | TBA | SP-7-20 | | 7 | |
| 1988-89 | Friction | TBA | TBA | | | |
| 1988-89 | Steel | TBA | SP-10-16 | | 9 | |
| 1990-92 | Friction | TBA | TBA | | | |
| 1990-92 | Steel | TBA | SP-10-16 | | 9 | |
| 1996-99 | Friction | TBA | HPK-20 | | 9 | |
| 1996-99 | Friction | TBA | HPK-20B | | 1 | |
| 1996-99 | Steel | TBA | HPK-69-16 | | 7 | |
| 1996-99 | Steel | TBA | HPK-69-20 | | 1 | |
| 2000-03 | Friction | TBA | HPK-20 | | 10 | |
| 2000-03 | Steel | TBA | HPK-69-16 | | 1 | |
| 2000-03 | Steel | TBA | HPK-69-20 | | 7 | |

GSX-R750W

SUZUKI 750 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1993-95 | Friction | TBA | TBA | |
| 1993-95 | Steel | TBA | SP-10-20 | 7 |

GT-185

SUZUKI 185 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1973-77 | Friction | TBA | TM-8 | | 6 | |
| 1973-77 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |

GT-380

SUZUKI 380 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1972-77 | Friction | TBA | TM-1 | | 6 | |
| 1972-77 | Steel | 403703 | SP-1-20 | .079/2.0mm | 6 | 36T - OD: 5.422" |

Import Motorcycle Applications

SUZUKI

GT-750

SUZUKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1972-77 | Friction | TBA | TM-2 | | 8 | |
| 1972-77 | Steel | 403703 | SP-1-20 | .079/2.0mm | 7 | 36T - OD: 5.422" |

GV-1200

SUZUKI 1200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1985-86 | Friction | 096700-250 | TM-7 | .098/2.49mm | 9 | Red - 12T - ID: 4.548" - SB |
| 1985-86 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1985-86 | Steel | TBA | SP-7-20 | | 9 | |

GV1400

SUZUKI 1400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1986-88 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1986-88 | Friction | 096700-300 | TM-17 | .118/3.0mm | 10 | Red - 12T - ID: 4.548" - SB |
| 1986-88 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 10 | 28T - ID: 5.466" |

GV-700GL

SUZUKI 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|-----------------------------|
| 1985 | Friction | 096700-300 | TM-17 | .118/3.0mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1985 | Steel | 403703 | SP-1-20 | .079/2.0mm | 7 | 36T - OD: 5.422" |

LS-650F

SUZUKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1986-88 | Friction | 096700-250 | TM-7 | .098/2.49mm | 5 | Red - 12T - ID: 4.548" - SB |
| 1986-88 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1986-88 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 5 | 28T - ID: 5.466" |

LS-650P SAVAGE

SUZUKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1996-00 | Friction | 096700-250 | TM-7 | .098/2.49mm | 5 | Red - 12T - ID: 4.548" - SB |
| 1996-00 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1996-00 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 5 | 28T - ID: 5.466" |

LT-125

SUZUKI 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|------|-------|
| 1983-87 | Friction | TBA | TM-8 | 3 |
| 1983-87 | Steel | TBA | TBA | |

LT-160E

SUZUKI 160 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1989-93 | Friction | TBA | TM-10 | | 6 | |
| 1989-93 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 5 | 30T - OD: 4.522" |

LT-185

Import Motorcycle Applications

SUZUKI

LT-185

SUZUKI 185 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|------|-------|
| 1984-87 | Friction | TBA | TM-8 | 3 |
| 1984-87 | Steel | TBA | TBA | |

LT-230 QUADRUNNER

SUZUKI 230 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1987-93 | Friction | TBA | TM-10 | | 6 | |
| 1987-93 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 5 | 30T - OD: 4.522" |

LT-230 THRU ENG#104360

SUZUKI 230 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1985-88 | Friction | TBA | TM-10 | | 6 | |
| 1985-88 | Steel | 403701-200 | SP-5-20 | .079/2.0mm | 5 | 30T - OD: 4.522" |

LT-230 THRU ENG#104361&-

SUZUKI 230 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1985-88 | Friction | TBA | TM-8 | | 6 | |
| 1985-88 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |

LT-230GE

SUZUKI 230 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1985-86 | Friction | TBA | TM-10 | | 6 | |
| 1985-86 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 5 | 30T - OD: 4.522" |

LT-250EF

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1985-86 | Friction | TBA | TM-10 | | 7 | |
| 1985-86 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 6 | 30T - OD: 4.522" |

LT-250R THRU #103149

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1985-86 | Friction | TBA | TM-8 | | 6 | |
| 1985-86 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |

LT-250R AFTER#103150

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1987-92 | Friction | 096700-300 | TM-17 | .118/3.0mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1987-92 | Steel | 403703 | SP-1-20 | .079/2.0mm | 5 | 36T - OD: 5.422" |

LT-250S

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1989-90 | Friction | TBA | TM-8 | | 7 | |
| 1989-90 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |

Import Motorcycle Applications

SUZUKI

LT-300E

SUZUKI 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1987-89 | Friction | TBA | TM-10 | | 7 | |
| 1987-89 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 6 | 30T - OD: 4.522" |

LT-4WD

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1987-93 | Friction | TBA | TM-10 | | 7 | |
| 1987-93 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 6 | 30T - OD: 4.522" |
| 1994-98 | Friction | TBA | TM-10 | | 7 | |
| 1994-98 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 6 | 30T - OD: 4.522" |

LT-500R

SUZUKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1987-90 | Friction | 096700-300 | TM-17 | .118/3.0mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1987-90 | Steel | 403703 | SP-1-20 | .079/2.0mm | 7 | 36T - OD: 5.422" |

LT-F160

SUZUKI 160 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1994-98 | Friction | TBA | TM-10 | | 6 | |
| 1994-98 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 5 | 30T - OD: 4.522" |

LTF-230

SUZUKI 230 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1986-87 | Friction | TBA | TM-10 | | 6 | |
| 1986-87 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 5 | 30T - OD: 4.522" |

LT-F250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1988-02 | Friction | TBA | TM-10 | | 7 | |
| 1988-02 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 6 | 30T - OD: 4.522" |

LT-F300F

SUZUKI 300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1999-02 | Friction | TBA | TM-10 | | 8 | |
| 1999-02 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 7 | 30T - OD: 4.522" |

LT-F400F EIGER

SUZUKI 400 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 2002-03 | Friction | TBA | HPK-39A | 6 |
| 2002-03 | Steel | TBA | SP-6-16 | 5 |

LT-F4WD

SUZUKI 250 CC

Import Motorcycle Applications

SUZUKI

LT-F4WD

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1987-98 | Friction | TBA | TM-10 | | 7 | |
| 1987-98 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 6 | 30T - OD: 4.522" |

LT-F4WDX

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|------------------|
| 1991-94 | Friction | TBA | TM-10 | | 8 | |
| 1991-94 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 7 | 30T - OD: 4.522" |
| 1995-98 | Friction | TBA | TM-10 | | 8 | |
| 1995-98 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 7 | 30T - OD: 4.522" |

LT-F500F

SUZUKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1998-02 | Friction | TBA | HPK-39A | | 6 | |
| 1998-02 | Steel | 404703-160 | KP-6-16 | .063/1.6mm | 5 | 37T - OD: 5.505" |

LT-Z400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| 2003 | Friction | TBA | HPK-39A | | 7 | |
| 2003 | Friction | TBA | HPK-39B | | 1 | |
| 2003 | Steel | 404703-160 | KP-6-16 | .063/1.6mm | 7 | 37T - OD: 5.505" |

OR-50

SUZUKI 50 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1979-80 | Friction | TBA | TM-8 | | 3 | |
| 1979-80 | Steel | 403701 | SP-5-16 | .063/1.6mm | 2 | 30T - OD: 4.522" |

PE-175

SUZUKI 175 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1978-84 | Friction | TBA | TM-8 | | 7 | |
| 1978-84 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |

PE-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1977-79 | Friction | TBA | TM-1 | | 5 | |
| 1977-79 | Steel | 403703 | SP-1-20 | .079/2.0mm | 4 | 36T - OD: 5.422" |
| 1980-81 | Friction | 096700-250 | TM-7 | .098/2.49mm | 5 | Red - 12T - ID: 4.548" - SB |
| 1980-81 | Steel | 403703 | SP-1-20 | .079/2.0mm | 4 | 36T - OD: 5.422" |

PE-400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1980-81 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1980-81 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 5 | 36T - OD: 5.422" |

RF-600R

Import Motorcycle Applications

SUZUKI

RF-600R

SUZUKI 600 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1994-97 | Friction | TBA | TBA | |
| 1994-97 | Steel | TBA | SP-10-16 | 1 |
| 1994-97 | Steel | TBA | SP-10-20 | 6 |

RF-900RR

SUZUKI 900 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1994 | Friction | TBA | TBA | | | |
| 1994 | Steel | TBA | SP-9-20 | | 10 | |
| 1995-97 | Friction | TBA | HPK-20 | | 9 | |
| 1995-97 | Friction | TBA | HPK-20B | | 1 | |
| 1995-97 | Steel | 403707 | HP-69-16 | .063/1.6mm | 7 | 25T - OD: 4.914" |
| 1995-97 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 2 | 25T - OD: 4.914" |

RL-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1974-75 | Friction | TBA | TM-1 | | 6 | |
| 1974-75 | Steel | 403703 | SP-1-20 | .079/2.0mm | 6 | 36T - OD: 5.422" |

RM-100

SUZUKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|----------------------------|
| 1976 | Friction | TBA | TM-8 | | 6 | |
| 1976 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |
| 1977-78 | Friction | TBA | TM-8 | | 7 | |
| 1977-78 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |
| 1979-81 | Friction | TBA | TM-8 | | 6 | |
| 1979-81 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |
| 1983 | Friction | TBA | TM-8 | | 5 | |
| 1983 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |
| 2003 | Friction | 089700A300 | HPK-19 | .118/3.0mm | 6 | Red - 8T - ID: 3.594" - SM |
| 2003 | Steel | 404711-140 | HP-62-14 | .055/1.4mm | 5 | 34T - OD: 4.328" |

RM-125

SUZUKI 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1975 | Friction | TBA | TM-8 | | 6 | |
| 1975 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |
| 1976-78 | Friction | TBA | TM-8 | | 7 | |
| 1976-78 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |
| 1979-80 | Friction | TBA | TM-8 | | 6 | |
| 1979-80 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |
| 1981-82 | Friction | TBA | TM-8 | | 7 | |
| 1981-82 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |
| 1983 | Friction | TBA | TM-8 | | 7 | |
| 1983 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |
| 1984 | Friction | TBA | TM-10 | | 8 | |
| 1984 | Steel | 403701-120 | SP-5-12 | .047/1.2mm | 7 | 30T - OD: 4.522" |
| 1985 | Friction | TBA | TM-8 | | 7 | |

Import Motorcycle Applications

SUZUKI

RM-125

SUZUKI 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1985 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |
| 1986-87 | Friction | TBA | TM-8 | | 6 | |
| 1986-87 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |
| 1988-91 | Friction | TBA | TM-10 | | 8 | |
| 1988-91 | Steel | 403701-140 | SP-5-14 | .052/1.32mm | 7 | 30T - OD: 4.522" |
| 1992-00 | Friction | TBA | TM-35 | | 8 | |
| 1992-00 | Steel | TBA | SP-11-14 | | 7 | |
| 2001-03 | Friction | TBA | TM-35 | | 8 | |
| 2001-03 | Steel | TBA | SP-11-14 | | 7 | |

RM-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1976-79 | Friction | TBA | TM-1 | | 5 | |
| 1976-79 | Steel | 403703 | SP-1-20 | .079/2.0mm | 4 | 36T - OD: 5.422" |
| 1980-85 | Friction | 096700-250 | TM-7 | .098/2.49mm | 5 | Red - 12T - ID: 4.548" - SB |
| 1980-85 | Steel | 403703 | SP-1-20 | .079/2.0mm | 4 | 36T - OD: 5.422" |
| 1986-87 | Friction | 096700-300 | TM-17 | .118/3.0mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1986-87 | Steel | 403703 | SP-1-20 | .079/2.0mm | 5 | 36T - OD: 5.422" |
| 1988-91 | Friction | 096700-300 | TM-17 | .118/3.0mm | 9 | Red - 12T - ID: 4.548" - SB |
| 1988-91 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 7 | 36T - OD: 5.422" |
| 1992-93 | Friction | 096700-300 | TM-17 | .118/3.0mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1992-93 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 8 | 36T - OD: 5.422" |
| 1994 | Friction | 096700-250 | TM-17 | .098/2.5mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1994 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 7 | 36T - OD: 5.422" |
| 1995 | Friction | 096700-300 | TM-17 | .118/3.0mm | 9 | Red - 12T - ID: 4.548" - SB |
| 1995 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 8 | 36T - OD: 5.422" |
| 1996 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1996 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1996 | Steel | 404705-150 | KP-2-15 | .059/1.5mm | 7 | 30T - OD: 5.741" |
| 1997-00 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1997-00 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 1997-00 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |
| 2001-02 | Friction | 093700-250 | K-1000K | .098/2.49mm | 8 | Red - 12T - ID: 4.833" - SB |
| 2001-02 | Friction | 093700-300 | | .118/3.0mm | 8 | Red - 12T - ID: 4.833" - SB |
| 2001-02 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |
| 2003 | Friction | TBA | TM-38 | | 8 | |
| 2003 | Steel | 404705 | KP-2-16 | .063/1.6mm | 7 | 30T - OD: 5.741" |

RM-370

SUZUKI 370 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1976-77 | Friction | TBA | TM-1 | | 6 | |
| 1976-77 | Steel | 403703 | SP-1-20 | .079/2.0mm | 6 | 36T - OD: 5.422" |

RM-465

SUZUKI 465 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1981-82 | Friction | 096700-250 | TM-7 | .098/2.49mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1981-82 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 7 | 36T - OD: 5.422" |

Import Motorcycle Applications

SUZUKI

RM-50

SUZUKI 50 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1978-80 | Friction | TBA | TM-8 | | 3 | |
| 1978-80 | Steel | 403701 | SP-5-16 | .063/1.6mm | 2 | 30T - OD: 4.522" |

RM-500

SUZUKI 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1983-84 | Friction | 096700-250 | TM-7 | .098/2.49mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1983-84 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 7 | 36T - OD: 5.422" |

RM-60

SUZUKI 60 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1979-81 | Friction | TBA | TM-8 | | 5 | |
| 1979-81 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |
| 1982-83 | Friction | TBA | TM-8 | | 5 | |
| 1982-83 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |

RM-60-65

SUZUKI 60 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|------------|-------|------------------|
| 2003 | Friction | TBA | K-90 | | 5 | |
| 2003 | Steel | 404701 | KP-13-16 | .063/1.6mm | 4 | 30T - OD: 3.889" |

RM-80

SUZUKI 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 1977 | Friction | TBA | TM-8 | | 4 | |
| 1977 | Steel | 403701 | SP-5-16 | .063/1.6mm | 3 | 30T - OD: 4.522" |
| 1978-81 | Friction | TBA | TM-8 | | 5 | |
| 1978-81 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |
| 1982-83 | Friction | TBA | TM-8 | | 4 | |
| 1982-83 | Steel | 403701 | SP-5-16 | .063/1.6mm | 3 | 30T - OD: 4.522" |
| 1984-85 | Friction | TBA | TM-8 | | 5 | |
| 1984-85 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |
| 1986-88 | Friction | TBA | TBA | | | |
| 1986-88 | Steel | TBA | TBA | | | |
| 1989-01 | Friction | TBA | TM-8 | | 5 | |
| 1989-01 | Steel | 403701-200 | SP-5-20 | .079/2.0mm | 4 | 30T - OD: 4.522" |

RM-85

SUZUKI 85 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|------------------|
| 2002-03 | Friction | TBA | TM-8 | | 5 | |
| 2002-03 | Steel | 403701-200 | SP-5-20 | .079/2.0mm | 4 | 30T - OD: 4.522" |

RMX-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1989-91 | Friction | 096700-300 | TM-17 | .118/3.0mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1989-91 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 7 | 36T - OD: 5.422" |

Import Motorcycle Applications

SUZUKI

RMX-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|------------|-------|-----------------------------|
| 1992-93 | Friction | 096700-300 | TM-17 | .118/3.0mm | 9 | Red - 12T - ID: 4.548" - SB |
| 1992-93 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 8 | 36T - OD: 5.422" |
| 1994-98 | Friction | 096700-300 | TM-17 | .118/3.0mm | 8 | Red - 12T - ID: 4.548" - SB |
| 1994-98 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 7 | 36T - OD: 5.422" |

RN-400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1978-80 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1978-80 | Steel | 403703 | SP-1-20 | .079/2.0mm | 5 | 36T - OD: 5.422" |

RS-175

SUZUKI 175 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1980-82 | Friction | TBA | TM-8 | | 7 | |
| 1980-82 | Steel | 403701 | SP-5-16 | .063/1.6mm | 6 | 30T - OD: 4.522" |

RS-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1980-81 | Friction | 096700-250 | TM-7 | .098/2.49mm | 5 | Red - 12T - ID: 4.548" - SB |
| 1980-81 | Steel | 403703 | SP-1-20 | .079/2.0mm | 4 | 36T - OD: 5.422" |

SP-100

SUZUKI 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|---------|------------|-------|------------------|
| 1983 | Friction | TBA | TM-8 | | 5 | |
| 1983 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |

SP-125

SUZUKI 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1982-88 | Friction | TBA | TM-8 | | 5 | |
| 1982-88 | Steel | 403701 | SP-5-16 | .063/1.6mm | 4 | 30T - OD: 4.522" |

SP-600

SUZUKI 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1985 | Friction | 096700-250 | TM-7 | .098/2.49mm | 5 | Red - 12T - ID: 4.548" - SB |
| 1985 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1985 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 5 | 28T - ID: 5.466" |

SV650

SUZUKI 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1999-02 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1999-02 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1999-02 | Steel | 403703-160 | SP-1-16 | .063/1.6mm | 6 | 36T - OD: 5.422" |

TL-1000R

Import Motorcycle Applications

SUZUKI

TL-1000R

SUZUKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1998-00 | Friction | TBA | HPK-60A | | 8 | |
| 1998-00 | Friction | TBA | HPK-60B | | 1 | |
| 1998-00 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 8 | 28T - ID: 5.466" |
| 2001-02 | Friction | TBA | HPK-39A | | 9 | |
| 2001-02 | Friction | TBA | HPK-60B | | 1 | |
| 2001-02 | Steel | 401705 | HP-46-14 | .055/1.4mm | 9 | 28T - ID: 5.466" |

TL-1000S

SUZUKI 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1997-98 | Friction | TBA | HPK-20 | | 9 | |
| 1997-98 | Friction | TBA | HPK-20B | | 1 | |
| 1997-98 | Steel | 403707 | HP-69-16 | .063/1.6mm | 7 | 25T - OD: 4.914" |
| 1997-98 | Steel | 403707-200 | HP-69-20 | .079/2.01mm | 2 | 25T - OD: 4.914" |
| 1999-01 | Friction | TBA | HPK-60A | | 8 | |
| 1999-01 | Friction | TBA | HPK-60B | | 1 | |
| 1999-01 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 8 | 28T - ID: 5.466" |

TM-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1972-75 | Friction | TBA | TM-1 | | 6 | |
| 1972-75 | Steel | 403703 | SP-1-20 | .079/2.0mm | 6 | 36T - OD: 5.422" |

TM-400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1971-75 | Friction | TBA | TM-1 | | 7 | |
| 1971-75 | Steel | 403703 | SP-1-20 | .079/2.0mm | 7 | 36T - OD: 5.422" |

TS-185

SUZUKI 185 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1973-81 | Friction | TBA | TM-8 | | 6 | |
| 1973-81 | Steel | 403701 | SP-5-16 | .063/1.6mm | 5 | 30T - OD: 4.522" |

TS-250

SUZUKI 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1972-81 | Friction | TBA | TM-1 | | 6 | |
| 1972-81 | Steel | 403703 | SP-1-20 | .079/2.0mm | 6 | 36T - OD: 5.422" |

TS-400

SUZUKI 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|---------|------------|-------|------------------|
| 1972-77 | Friction | TBA | TM-1 | | 7 | |
| 1972-77 | Steel | 403703 | SP-1-20 | .079/2.0mm | 7 | 36T - OD: 5.422" |

VL-1500 INTRUDER

SUZUKI 1500 CC

Import Motorcycle Applications

SUZUKI

VL-1500 INTRUDER

SUZUKI 1500 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1998-03 | Friction | TBA | TM-5 | 9 |
| 1998-03 | Steel | TBA | SP-4-16 | 8 |

VS-1400GLP INTRUDER

SUZUKI 1400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|---------|-------------|-------|-----------------------------|
| 1987-01 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1987-01 | Friction | 096700-300 | TM-17 | .118/3.0mm | 9 | Red - 12T - ID: 4.548" - SB |
| 1987-01 | Steel | TBA | SP-7-20 | | 9 | |

VS-700GL

SUZUKI 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1985-87 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1985-87 | Friction | 096700-280 | TM-1B | .110/2.79mm | 1 | Red - 12T - ID: 4.548" - SB |
| 1985-87 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 6 | 28T - ID: 5.466" |

VS-750

SUZUKI 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1988-91 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1988-91 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 6 | 28T - ID: 5.466" |

VS-800GL INTRUDER

SUZUKI 800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1992-02 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1992-02 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 6 | 28T - ID: 5.466" |

VX-800

SUZUKI 800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1990-93 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1990-93 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 6 | 28T - ID: 5.466" |

VZ-800 MARAUDER

SUZUKI 800 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1997-03 | Friction | 096700-250 | TM-7 | .098/2.49mm | 6 | Red - 12T - ID: 4.548" - SB |
| 1997-03 | Steel | 401705-155 | HP-46-16 | .061/1.55mm | 6 | 28T - ID: 5.466" |

XN-85D TURBO

SUZUKI 850 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|---------|------------|-------|------------------|
| 1986 | Friction | TBA | TBA | | | |
| 1986 | Steel | 403703-140 | SP-1-14 | .055/1.4mm | 5 | 36T - OD: 5.422" |
| 1986 | Steel | 403703-150 | SP-1-15 | .059/1.5mm | 3 | 36T - OD: 5.422" |

TRIUMPH

500/650/750

Import Motorcycle Applications

TRIUMPH

500/650/750

TRIUMPH

| Year | Description | Alto | Ref | Usage |
|------|-------------|------------|-----|-------|
| | Friction | 091700-393 | TBA | |
| | Steel | 091701-200 | TBA | |

VICTORY

N/A

VICTORY

| Year | Description | Alto | Ref | Usage | Remarks |
|---------|-------------|---------|-----|-------|----------------------------|
| 2001-13 | Module | 095758 | TBA | 1 | Friction Pack - Red Eagle® |
| 2001-13 | Module | 095758K | TBA | 1 | Friction Pack - Aramid |
| 2001-13 | Module | 095759 | TBA | 1 | Steel Pack |

YAMAHA

660R RAPTOR

YAMAHA 660 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 2001-03 | Friction | TBA | TBA | | 2 | |
| 2001-03 | Friction | TBA | YPK-13 | | 6 | |
| 2001-03 | Friction | TBA | YPK-13 | | 6 | |
| 2001-03 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

AS2-C

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1969 | Friction | TBA | YPK-2A | 4 |
| 1969 | Steel | TBA | TBA | |

AT/MX3

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1973 | Friction | TBA | YPK-2A | 5 |
| 1973 | Steel | TBA | TBA | |

AT1/1M

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1969-71 | Friction | TBA | YPK-2A | 5 |
| 1969-71 | Steel | TBA | TBA | |

AT1/2M

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1972 | Friction | TBA | YPK-2A | 5 |
| 1972 | Steel | TBA | TBA | |

BW200

YAMAHA 200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1985-88 | Friction | TBA | YPK-6 | 5 |
| 1985-88 | Steel | TBA | TBA | |

Import Motorcycle Applications

YAMAHA

BW-350

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1987-88 | Steel | 402701A | YP-15-16 | .061/1.55mm | 5 | 27T - OD: 5.281" |
| 1987-88 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 1 | 27T - OD: 5.279" |

CS3/CS5

YAMAHA 200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1970-72 | Friction | TBA | YPK-2A | 5 |
| 1970-72 | Steel | TBA | TBA | |

CT1/2/3

YAMAHA 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1968-73 | Friction | TBA | YPK-2A | 5 |
| 1968-73 | Steel | TBA | TBA | |

DT-1

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1968-72 | Friction | TBA | YPK-1 | 6 |
| 1968-72 | Steel | TBA | TBA | |

DT-100

YAMAHA 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------------------|
| 1974 | Friction | TBA | YPK-2A | | 2 | |
| 1974 | Steel | 402703A | YP-45-20 | .078/1.98mm | 1 | 23T - OD: 4.52" |
| 1975 | Friction | TBA | YPK-2A | | 7 | |
| 1975 | Steel | 402703A | YP-45-20 | .078/1.98mm | 6 | 23T - OD: 4.52" |
| 1976-77 | Friction | TBA | YPK-6 | | 4 | |
| 1976-77 | Steel | TBA | TBA | | | |
| 1978-83 | Friction | TBA | TBA | | 4 | |
| 1978-83 | Steel | 402703 | YP-45-12 | .047/1.19mm | | 23T - OD: 4.52" (with 1 Tab) |

DT-125

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1974-75 | Friction | TBA | TBA | |
| 1974-75 | Steel | TBA | TBA | |
| 1976-77 | Friction | TBA | YPK-6 | 5 |
| 1976-77 | Steel | TBA | TBA | |
| 1978-81 | Friction | TBA | YPK-6 | 5 |
| 1978-81 | Steel | TBA | TBA | |

DT-175

YAMAHA 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1974-75 | Friction | TBA | TBA | |
| 1974-75 | Steel | TBA | TBA | |
| 1976 | Friction | TBA | YPK-6 | 5 |
| 1976 | Steel | TBA | TBA | |

Import Motorcycle Applications

YAMAHA

DT-175

YAMAHA 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1978-81 | Friction | TBA | YPK-6 | 6 |
| 1978-81 | Steel | TBA | TBA | |

DT-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|-------------------------------|
| 1974-76 | Friction | TBA | YPK-1 | | 7 | |
| 1974-76 | Steel | 402711 | YP-15-15 | .057/1.45mm | 6 | 27T - OD: 5.279" |
| 1977-79 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

DT-3

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|-------|-------|
| 1973 | Friction | TBA | YPK-1 | 7 |
| 1973 | Steel | TBA | TBA | |

DT-360

YAMAHA 360 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|-------------|-------|------------------|
| 1974 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

DT-400

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1975-78 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

DT-50

YAMAHA 50 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 1988-90 | Friction | TBA | YPK-36A | | 4 | |
| 1988-90 | Steel | 402703 | YP-45-12 | .047/1.19mm | 3 | 23T - OD: 4.52" (with 1 Tab) |

DT-80

YAMAHA 80 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 1981-83 | Friction | TBA | YPK-36A | | 5 | |
| 1981-83 | Steel | 402703 | YP-45-12 | .047/1.19mm | 4 | 23T - OD: 4.52" (with 1 Tab) |

FJ-1100

YAMAHA 1100 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1984-85 | Friction | TBA | TBA | |
| 1984-85 | Steel | TBA | YP-20-20 | 7 |

FJ-1100 MAXIM

YAMAHA 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1982 | Friction | 094700-250 | YPK-5 | .098/2.49mm | 8 | Brn - 12T - ID: 4.885" - SB |
| 1982 | Steel | TBA | YP-20-20 | | 7 | |

FJ-1200

Import Motorcycle Applications

YAMAHA

FJ-1200

YAMAHA 1200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1986-93 | Friction | TBA | TBA | |
| 1986-93 | Steel | TBA | YP-20-20 | 7 |

FJ-600

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------|
| 1984-88 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

FJR-1300

YAMAHA 1300 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 2003 | Friction | 094700-250 | YPK-5 | .098/2.49mm | 8 | Brn - 12T - ID: 4.885" - SB |
| 2003 | Friction | 094700-300 | YPK-31B | .118/3.0mm | 1 | Red - 12T - ID: 4.885" - SB |
| 2003 | Steel | TBA | YP-20-20 | | 8 | |

FZ-1

YAMAHA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 2001-03 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 2001-03 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 8 | 27T - OD: 5.279" |

FZ-400

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1987-88 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

FZ-600

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------|
| 1984-88 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

FZ-700

YAMAHA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1978 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1978 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |

FZ-750

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1985 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1985 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |
| 1988 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1988 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |

FZ-750/FZR750

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1986 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 8 | Red - 12T - ID: 4.341" - SB |
| 1986 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |

Import Motorcycle Applications

YAMAHA

FZR-1000

YAMAHA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1987-88 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1987-88 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 8 | 27T - OD: 5.279" |
| 1989-92 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1989-92 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 8 | 27T - OD: 5.279" |
| 1993-97 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1993-97 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 8 | 27T - OD: 5.279" |

FZR-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1987-88 | Friction | TBA | YPK-18 | 6 |
| 1987-88 | Steel | TBA | TBA | |

FZR-400S

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1987-91 | Friction | TBA | YPK-18 | | 8 | |
| 1987-91 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |

FZR-600

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|-----------------|
| 1989-99 | Friction | TBA | YPK-18 | | 9 | |
| 1989-99 | Steel | 402703A | YP-45-20 | .078/1.98mm | 8 | 23T - OD: 4.52" |

FZR-750R

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1987-91 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1987-91 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 8 | 27T - OD: 5.279" |

FZX-700 FAZER

YAMAHA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1986-87 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1986-87 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |

GT-80

YAMAHA 80 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1978-80 | Friction | TBA | YPK-36A | 3 |

GTMX

YAMAHA 75 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 1977-79 | Friction | TBA | YPK-36A | | | |
| 1977-79 | Steel | 402703 | YP-45-12 | .047/1.19mm | 4 | 23T - OD: 4.52" (with 1 Tab) |

GTS-1000

YAMAHA 1000 CC

Import Motorcycle Applications

YAMAHA

GTS-1000

YAMAHA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1993-94 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1993-94 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 8 | 27T - OD: 5.279" |

HS1A/B

YAMAHA 90 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|-----------------|
| 1970-71 | Friction | TBA | YPK-2A | | 2 | |
| 1970-71 | Steel | 402703A | YP-45-20 | .078/1.98mm | 1 | 23T - OD: 4.52" |

IT-125

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1980-81 | Friction | TBA | YPK-6 | 4 |
| 1980-81 | Steel | TBA | TBA | |

IT-175

YAMAHA 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1977-83 | Friction | TBA | YPK-6 | 6 |
| 1977-83 | Steel | TBA | TBA | |

IT-200

YAMAHA 200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1984-86 | Friction | TBA | YPK-6 | 6 |
| 1984-86 | Steel | TBA | TBA | |

IT-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-------------------------------|
| 1977-78 | Steel | 402701 | YP-15-12 | .047/1.2mm | 5 | 27T - ID: 5.281" (with 1 Tab) |
| 1979-80 | Steel | 402711-230 | YP-15-23 | .090/2.3mm | 4 | 27T - OD: 5.279" |
| 1981-82 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |
| 1983 | Friction | TBA | YPK-19 | | 7 | |
| 1983 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

IT-400

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1977-78 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

IT-425

YAMAHA 425 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|------------|-------|-------------------------------|
| 1980 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

IT-465

YAMAHA 465 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1981-82 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

Import Motorcycle Applications

YAMAHA

IT-490

YAMAHA 490 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1983-84 | Friction | TBA | YPK-19 | | 7 | |
| 1983-84 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

LS2

YAMAHA 100 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1972 | Friction | TBA | YPK-2A | 4 |
| 1972 | Steel | TBA | TBA | |

MX-100

YAMAHA 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 1979-83 | Friction | TBA | TBA | | 5 | |
| 1979-83 | Steel | 402703 | YP-45-12 | .047/1.19mm | | 23T - OD: 4.52" (with 1 Tab) |

MX-125

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|-------|-------|
| 1976 | Friction | TBA | YPK-6 | 6 |
| 1976 | Steel | TBA | TBA | |

MX-175

YAMAHA 175 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1979-81 | Friction | TBA | YPK-6 | 6 |
| 1979-81 | Steel | TBA | TBA | |

MX-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1973-74 | Friction | TBA | YPK-1 | | 6 | |
| 1973-74 | Steel | TBA | TBA | | | |
| 1975 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

MX-360

YAMAHA 360 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------|
| 1973-74 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

MX-400

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|------------|-------|-------------------------------|
| 1975 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

MX-80

YAMAHA 80 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1980-82 | Friction | TBA | YPK-36A | 3 |

R3

Import Motorcycle Applications

YAMAHA

R3

YAMAHA 350 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|-------|-------|
| 1969 | Friction | TBA | YPK-1 | 6 |
| 1969 | Steel | TBA | TBA | |

R5

YAMAHA 350 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1970-72 | Friction | TBA | YPK-1 | 7 |
| 1970-72 | Steel | TBA | TBA | |

RD-200

YAMAHA 200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1974-76 | Friction | TBA | YPK-2A | 5 |
| 1974-76 | Steel | TBA | TBA | |

RD-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1973-75 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

RD-350

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1973-75 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

RD-350LC

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|-------------|-------|------------------|
| ALL | Steel | 402711 | YP-15-15 | .057/1.45mm | 6 | 27T - OD: 5.279" |

RD-400

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1976-79 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

ROAD STAR

YAMAHA 1600 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1999-03 | Friction | TBA | TBA |
| 1999-03 | Steel | TBA | TBA |

ROAD STARWARRIOR

YAMAHA 1700 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|---------|-------|
| 2003 | Friction | TBA | YPK-37A | 6 |
| 2003 | Friction | TBA | YPK-37B | 3 |
| 2003 | Steel | TBA | TBA | |

RS100B/C

YAMAHA 100 CC

Import Motorcycle Applications

YAMAHA

RS100B/C

YAMAHA 100 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1975-76 | Friction | TBA | YPK-2A | 4 |
| 1975-76 | Steel | TBA | TBA | |

RT1/2/3

YAMAHA 360 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1970-73 | Friction | TBA | YPK-1 | 7 |
| 1970-73 | Steel | TBA | TBA | |

RT-100

YAMAHA 100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 1990-00 | Friction | TBA | YPK-18 | | 4 | |
| 1990-00 | Steel | 402703 | YP-45-12 | .047/1.19mm | | 23T - OD: 4.52" (with 1 Tab) |

RT-180

YAMAHA 180 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1990-98 | Friction | TBA | YPK-6 | 6 |
| 1990-98 | Steel | TBA | TBA | |

RX-50M

YAMAHA 50 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|-------------|-------|------------------------------|
| 1983 | Friction | TBA | YPK-36A | | | |
| 1983 | Steel | 402703 | YP-45-12 | .047/1.19mm | 3 | 23T - OD: 4.52" (with 1 Tab) |

RZ-350

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-------------------------------|
| 1984-90 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 7 | Red - 12T - ID: 4.341" - SB |
| 1984-90 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

RZ-500

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|-----------------------------|
| ALL | Friction | 094700-250 | YPK-5 | .098/2.49mm | 7 | Brn - 12T - ID: 4.885" - SB |
| ALL | Steel | TBA | YP-20-15 | | 6 | |

SC-500

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1973-74 | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

SR-250 EXCITER

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1980-81 | Friction | TBA | YPK-13 | | 6 | |
| 1980-81 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 5 | 27T - OD: 5.279" |
| 1982 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 4 | 27T - OD: 5.279" |

Import Motorcycle Applications

YAMAHA

SR-500

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1978-81 | Friction | TBA | YPK-13 | | 8 | |
| 1978-81 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

SRX-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|------------------|
| 1987 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 4 | 27T - OD: 5.279" |

SRX-600

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|-------------------------------|
| 1986 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1986 | Friction | TBA | YPK-13 | | 6 | |
| 1986 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

TD3

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1972 | Friction | TBA | YPK-22 | 6 |
| 1972 | Steel | TBA | TBA | |

TDM-850

YAMAHA 850 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1992-93 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1992-93 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |

TR3

YAMAHA 350 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1972 | Friction | TBA | YPK-22 | 6 |
| 1972 | Steel | TBA | TBA | |

TT/TTR 125

YAMAHA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 2000-03 | Friction | TBA | YPK-36B | | 5 | |
| 2000-03 | Steel | 402703 | YP-45-12 | .047/1.19mm | 4 | 23T - OD: 4.52" (with 1 Tab) |

TT-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1980-83 | Friction | TBA | YPK-13 | | 6 | |
| 1980-83 | Steel | 402701 | YP-15-12 | .047/1.2mm | 5 | 27T - ID: 5.281" (with 1 Tab) |

TT-500

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1976-81 | Friction | TBA | YPK-13 | | 8 | |
| 1976-81 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

Import Motorcycle Applications

YAMAHA

TT-600

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-------------------------------|
| 1983-86 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1983-86 | Friction | TBA | YPK-13 | | 6 | |
| 1983-86 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |
| 1991-96 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1991-96 | Friction | TBA | YPK-13 | | 6 | |
| 1991-96 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

TTR-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 1999-03 | Friction | TBA | HPK-49A | 7 |
| 1999-03 | Steel | TBA | YP-49-16 | 6 |

TW 200

YAMAHA 200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1978-03 | Friction | TBA | YPK-6 | 5 |
| 1978-03 | Steel | TBA | TBA | |

TX-500

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------|
| 1973-74 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

TX-650

YAMAHA 650 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|-------|-------|
| 1974 | Friction | TBA | YPK-4 | 6 |
| 1974 | Steel | TBA | TBA | |

TY-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------|
| 1974 | Friction | TBA | YPK-1 | | 7 | |
| 1974 | Steel | TBA | TBA | | | |
| 1976-77 | Steel | 402711 | YP-15-15 | .057/1.45mm | 6 | 27T - OD: 5.279" |

TY-350

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1985-86 | Friction | TBA | YPK-19 | | 6 | |
| 1985-86 | Steel | 402701A | YP-15-16 | .061/1.55mm | 5 | 27T - OD: 5.281" |

TZ-125

YAMAHA 125 CC

| Year | Description | Alto | Ref |
|------|-------------|------|-----|
| ALL | Friction | TBA | TBA |
| ALL | Steel | TBA | TBA |

TZ-250

Import Motorcycle Applications

YAMAHA

TZ-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|------------------|
| ALL | Friction | TBA | YPK-22 | | AR | |
| ALL | Steel | 402711-195 | YP-15-20 | .076/1.93mm | AR | 27T - OD: 5.279" |
| ALL | Steel | 402711-230 | YP-15-23 | .090/2.3mm | AR | 27T - OD: 5.279" |

TZ-350

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1974-78 | Friction | TBA | YPK-22 | | 6 | |
| 1974-78 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 5 | 27T - OD: 5.279" |

TZ-700

YAMAHA 700 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| ALL | Friction | TBA | YPK-21 | 7 |
| ALL | Steel | TBA | TBA | |

TZ-750

YAMAHA 750 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| ALL | Friction | TBA | YPK-21 | 7 |
| ALL | Steel | TBA | TBA | |

TZF-600R

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1997-03 | Friction | TBA | YPK-12 | | 9 | |
| 1997-03 | Steel | 402707-200 | YP-26-20 | .079/2.0mm | 8 | 30T - OD: 4.883" |

VMX-12 V-MAX

YAMAHA 1200 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1985-03 | Friction | TBA | TBA |
| 1985-03 | Steel | TBA | TBA |

WR200RD

YAMAHA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|-------------|-------|------------------------------|
| 1992 | Friction | TBA | YPK-18 | | 7 | |
| 1992 | Steel | 402703 | YP-45-12 | .047/1.19mm | 6 | 23T - OD: 4.52" (with 1 Tab) |

WR-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1991-93 | Friction | TBA | YPK-40 | | 7 | |
| 1991-93 | Steel | 402709 | YP-41-16 | .063/1.6mm | 6 | 30T - OD: 5.590" |
| 1994-97 | Friction | TBA | YPK-40 | | 8 | |
| 1994-97 | Steel | 402709 | YP-41-16 | .063/1.6mm | 7 | 30T - OD: 5.590" |

WR-400

YAMAHA 400 CC

Import Motorcycle Applications

YAMAHA

WR-400

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-------------------------------|
| 1998-99 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1998-99 | Friction | TBA | YPK-13 | | 7 | |
| 1998-99 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

WR-500Z

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1992-93 | Friction | TBA | YPK-19 | | 7 | |
| 1992-93 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

XJ-550 MAXIM

YAMAHA 550 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1981-83 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1981-83 | Friction | TBA | YPK-13 | | 7 | |
| 1981-83 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

XJ-550R SECA

YAMAHA 550 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1981-83 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1981-83 | Friction | TBA | YPK-13 | | 7 | |
| 1981-83 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

XJ-600S

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1992-98 | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

XJ-650 MAXIM

YAMAHA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1980-83 | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

XJ-650L MIDNIGHT

YAMAHA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|---------|----------|-------------|-------|------------------|
| 1981 | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

XJ-650LSECA TURBO

YAMAHA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1982-83 | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

XJ-650R SECA

YAMAHA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|---------|----------|-------------|-------|------------------|
| 1982 | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

XJ-700 MAXIM

Import Motorcycle Applications

YAMAHA

XJ-700 MAXIM

YAMAHA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1985-86 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1985-86 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |

XJ-750

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1981-83 | Friction | TBA | YPK-40 | | 8 | |
| 1981-83 | Steel | 402709 | YP-41-16 | .063/1.6mm | 7 | 30T - OD: 5.590" |

XJ-750 MAXIM

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1982-On | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

XJ-750R SECA

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1981-83 | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

XJ-900 SECA

YAMAHA 900 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|------------------|
| 1983 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |

XS-1100

YAMAHA 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1978-81 | Friction | 094700-250 | YPK-5 | .098/2.49mm | 8 | Brn - 12T - ID: 4.885" - SB |
| 1978-81 | Steel | TBA | YP-20-20 | | 7 | |

XS-360

YAMAHA 360 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1976-77 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

XS-400 SECA MAXIM

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1982-83 | Friction | 094700-250 | YPK-5 | .098/2.49mm | 5 | Brn - 12T - ID: 4.885" - SB |
| 1982-83 | Steel | TBA | YP-20-20 | | 4 | |

XS-400 TWIN

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1977-82 | Friction | TBA | YPK-25A | | 7 | |
| 1977-82 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

XS-500

YAMAHA 500 CC

Import Motorcycle Applications

YAMAHA

XS-500

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------|
| 1975-78 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

XS-650 TWIN

YAMAHA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|-------|-------------|-------|-----------------------------|
| 1975-79 | Friction | 094700-250 | YPK-5 | .098/2.49mm | 7 | Brn - 12T - ID: 4.885" - SB |
| 1975-79 | Steel | TBA | TBA | | | |
| 1980-83 | Friction | 094700-250 | YPK-5 | .098/2.49mm | 6 | Brn - 12T - ID: 4.885" - SB |
| 1980-83 | Steel | TBA | TBA | | | |

XS-750

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1977 | Steel | 402711 | YP-15-15 | .057/1.45mm | 6 | 27T - OD: 5.279" |
| 1978-79 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

XS-850

YAMAHA 850 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1980-81 | Friction | TBA | YPK-13 | | 7 | |
| 1980-81 | Steel | 402701A | YP-15-16 | .061/1.55mm | 2 | 27T - OD: 5.281" |
| 1980-81 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 4 | 27T - OD: 5.279" |

XT/TT/TTR 225

YAMAHA 225 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1986-03 | Friction | TBA | HPK-20B | 1 |
| 1986-03 | Friction | TBA | YPK-6 | 5 |
| 1986-03 | Steel | TBA | TBA | |

XT-125

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1982-83 | Friction | TBA | YPK-6 | 4 |
| 1982-83 | Steel | TBA | TBA | |

XT-200

YAMAHA 200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1982-83 | Friction | TBA | YPK-6 | 5 |
| 1982-83 | Steel | TBA | TBA | |

XT-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-------------------------------|
| 1980-83 | Friction | TBA | YPK-13 | | 6 | |
| 1980-83 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 5 | 27T - OD: 5.279" |
| 1984 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 5 | Red - 12T - ID: 4.341" - SB |
| 1984 | Steel | 402701 | YP-15-12 | .047/1.2mm | 4 | 27T - ID: 5.281" (with 1 Tab) |

XT-350

Import Motorcycle Applications

YAMAHA

XT-350

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1985-01 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 7 | Red - 12T - ID: 4.341" - SB |
| 1985-01 | Steel | 402701A | YP-15-16 | .061/1.55mm | 5 | 27T - OD: 5.281" |
| 1985-01 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 1 | 27T - OD: 5.279" |

XT-500

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1976-81 | Friction | TBA | YPK-13 | | 8 | |
| 1976-81 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

XT-550

YAMAHA 550 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|-------------------------------|
| 1982 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1982 | Friction | TBA | YPK-13 | | 7 | |
| 1982 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |
| 1983 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1983 | Friction | TBA | YPK-13 | | 6 | |
| 1983 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

XT-600

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-------------------------------|
| 1984-88 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1984-88 | Friction | TBA | YPK-13 | | 6 | |
| 1984-88 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |
| 1989-95 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1989-95 | Friction | TBA | YPK-13 | | 6 | |
| 1989-95 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

XV-1000

YAMAHA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1984-96 | Friction | TBA | YPK-40 | | 8 | |
| 1984-96 | Steel | 402709 | YP-41-16 | .063/1.6mm | 7 | 30T - OD: 5.590" |

XV-1100 VIRAGO

YAMAHA 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1986-98 | Friction | TBA | YPK-40 | | 8 | |
| 1986-98 | Steel | 402709 | YP-41-16 | .063/1.6mm | 1 | 30T - OD: 5.590" |
| 1986-98 | Steel | 402709-200 | YP-41-20 | .079/2.0mm | 7 | 30T - OD: 5.590" |

XV-250 ROUTE 66

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1988-98 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1988-98 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 4 | 27T - OD: 5.279" |

XV-250 VIRAGO

Import Motorcycle Applications

YAMAHA

XV-250 VIRAGO

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 2002-03 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 2002-03 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 4 | 27T - OD: 5.279" |

XV-500 VIRAGO

YAMAHA 500 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|------------|-------|------------------|
| 1983 | Friction | TBA | YPK-40 | | 6 | |
| 1983 | Steel | 402709 | YP-41-16 | .063/1.6mm | 5 | 30T - OD: 5.590" |

XV-535

YAMAHA 535 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1987-98 | Friction | TBA | YPK-40 | | 6 | |
| 1987-98 | Steel | 402709 | YP-41-16 | .063/1.6mm | 5 | 30T - OD: 5.590" |

XV-535 VIRAGO

YAMAHA 535 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|------------------|
| 1999 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 4 | 27T - OD: 5.279" |

XV-650-V-STAR

YAMAHA 650 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1999-03 | Friction | TBA | YPK-40 | | 7 | |
| 1999-03 | Steel | 402709 | YP-41-16 | .063/1.6mm | 6 | 30T - OD: 5.590" |
| 1999-03 | Steel | TBA | YP-41-15 | | 1 | |

XV-700 VIRAGO

YAMAHA 700 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1984-87 | Friction | TBA | YPK-40 | | 8 | |
| 1984-87 | Steel | 402709 | YP-41-16 | .063/1.6mm | 7 | 30T - OD: 5.590" |

XV-750 VIRAGO

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1981-97 | Friction | TBA | YPK-40 | | 8 | |
| 1981-97 | Steel | 402709 | YP-41-16 | .063/1.6mm | 7 | 30T - OD: 5.590" |

XV-920 VIRAGO

YAMAHA 920 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1981-83 | Friction | TBA | YPK-40 | | 8 | |
| 1981-83 | Steel | 402709 | YP-41-16 | .063/1.6mm | 7 | 30T - OD: 5.590" |

XVS-1100 V-STAR

YAMAHA 1100 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|------------------|
| 1999-03 | Friction | TBA | YPK-40 | | 8 | |
| 1999-03 | Steel | 402709 | YP-41-16 | .063/1.6mm | 1 | 30T - OD: 5.590" |

Import Motorcycle Applications

YAMAHA

XVS-1100 V-STAR

YAMAHA 1100 CC

| | | | | | | |
|---------|-------|------------|----------|------------|---|------------------|
| 1999-03 | Steel | 402709-200 | YP-41-20 | .079/2.0mm | 7 | 30T - OD: 5.590" |
|---------|-------|------------|----------|------------|---|------------------|

XVZ-12 VENTURE

YAMAHA 1200 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1983-85 | Friction | TBA | TBA |
| 1983-85 | Steel | TBA | TBA |

XVZ-13 VENTURE

YAMAHA 1300 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1986-03 | Friction | TBA | TBA |
| 1986-03 | Steel | TBA | TBA |

XZ-550R VISION

YAMAHA 550 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1982-83 | Friction | TBA | YPK-13 | | 8 | |
| 1982-83 | Steel | 402701A | YP-15-16 | .061/1.55mm | 7 | 27T - OD: 5.281" |

YA6

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1966 | Friction | TBA | YPK-2A | 4 |
| 1966 | Steel | TBA | TBA | |

YAS1C

YAMAHA 125 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1968 | Friction | TBA | YPK-2A | 4 |
| 1968 | Steel | TBA | TBA | |

YCS1/1C

YAMAHA 180 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|--------|-------|
| 1968 | Friction | TBA | YPK-2A | 5 |
| 1968 | Steel | TBA | TBA | |

YDS2/3C

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1964-68 | Friction | TBA | YPK-18 | 5 |
| 1964-68 | Steel | TBA | TBA | |

YFB-250 TIMBERWOLF

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1993-98 | Friction | TBA | YPK-18 | 5 |

YFB-250FW TIMBERWOLF

YAMAHA 250 CC

Import Motorcycle Applications

YAMAHA

YFB-250FW TIMBERWOLF

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1995-00 | Friction | TBA | YPK-18 | 5 |

YFM-200

YAMAHA 200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1985-89 | Friction | TBA | YPK-18 | 5 |

YFM-225

YAMAHA 225 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1986-93 | Friction | TBA | YPK-18 | 5 |

YFM-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1986-93 | Friction | TBA | YPK-18 | 5 |

YFM-250 BEARTRACKER

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1999-02 | Friction | TBA | YPK-18 | 5 |

YFM-350 BIG BEAR

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1996-00 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1996-00 | Steel | 402701A | YP-15-16 | .061/1.55mm | 4 | 27T - OD: 5.281" |
| 1996-00 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 2 | 27T - OD: 5.279" |

YFM-350ER MOTO-4

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1987-95 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1987-95 | Steel | 402701A | YP-15-16 | .061/1.55mm | 4 | 27T - OD: 5.281" |
| 1987-95 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 2 | 27T - OD: 5.279" |

YFM-350FW

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1987-98 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1987-98 | Steel | 402701A | YP-15-16 | .061/1.55mm | 4 | 27T - OD: 5.281" |
| 1987-98 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 2 | 27T - OD: 5.279" |

YFM-350FWB 4WD

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1997-99 | Steel | 402701A | YP-15-16 | .061/1.55mm | 4 | 27T - OD: 5.281" |
| 1997-99 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 2 | 27T - OD: 5.279" |

YFM-350FX/WOLVERINE

Import Motorcycle Applications

YAMAHA

YFM-350FX/WOLVERINE

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1995-03 | Steel | 402701A | YP-15-16 | .061/1.55mm | 4 | 27T - OD: 5.281" |
| 1995-03 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 2 | 27T - OD: 5.279" |

YFM-350X WARRIOR

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1987-03 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 2 | Red - 12T - ID: 4.341" - SB |
| 1987-03 | Steel | 402701A | YP-15-16 | .061/1.55mm | 4 | 27T - OD: 5.281" |
| 1987-03 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 2 | 27T - OD: 5.279" |

YFM-400 BIG BEAR

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-----------------------------|
| 1999-02 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 7 | Red - 12T - ID: 4.341" - SB |
| 1999-02 | Steel | 402701A | YP-15-16 | .061/1.55mm | 2 | 27T - OD: 5.281" |
| 1999-02 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 4 | 27T - OD: 5.279" |

YFS200 BLASTER

YAMAHA 200 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 1988-02 | Friction | TBA | YPK-18 | | 7 | |
| 1988-02 | Steel | 402703 | YP-45-12 | .047/1.19mm | 6 | 23T - OD: 4.52" (with 1 Tab) |

YFZ-350 BANSHEE

YAMAHA 350 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1987-03 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

YL-1/E

YAMAHA 100 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1966-67 | Friction | TBA | YPK-2A | 4 |
| 1966-67 | Steel | TBA | TBA | |

YM-1

YAMAHA 305 CC

| Year | Description | Alto | Ref |
|---------|-------------|------|-----|
| 1964-67 | Friction | TBA | TBA |
| 1964-67 | Steel | TBA | TBA |

YSR-50

YAMAHA 50 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 1987-92 | Friction | TBA | YPK-36A | | | |
| 1987-92 | Steel | 402703 | YP-45-12 | .047/1.19mm | 4 | 23T - OD: 4.52" (with 1 Tab) |

YTM-200

YAMAHA 200 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1983-85 | Friction | TBA | YPK-18 | 5 |

Import Motorcycle Applications

YAMAHA

YTM-225

YAMAHA 225 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|--------|-------|
| 1983-86 | Friction | TBA | YPK-18 | 5 |

YTZ-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1985-86 | Friction | TBA | YPK-19 | | 7 | |
| 1985-86 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

YX-600 RADIAN

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------|
| 1986-90 | Steel | 402711 | YP-15-15 | .057/1.45mm | 7 | 27T - OD: 5.279" |

YZ/WR,450F

YAMAHA 450 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|------------|-------|------------------|
| 2003 | Friction | TBA | YPK-40 | | 9 | |
| 2003 | Steel | 402709-120 | YP-41-12 | .047/1.2mm | 8 | 30T - OD: 5.590" |

YZ/WR250F 4 STROKE

YAMAHA 250 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|----------|-------|
| 2001-03 | Friction | TBA | YPK-49 | 9 |
| 2001-03 | Steel | TBA | YP-49-12 | 8 |

YZ-100

YAMAHA 100 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|-------|-------|
| 1976-83 | Friction | TBA | YPK-6 | 5 |
| 1976-83 | Steel | TBA | TBA | |

YZ-125

YAMAHA 125 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1970-81 | Friction | TBA | YPK-6 | | 5 | |
| 1970-81 | Steel | TBA | TBA | | | |
| 1982 | Friction | TBA | TBA | | | |
| 1982 | Steel | TBA | TBA | | | |
| 1983-85 | Friction | TBA | YPK-12 | | 6 | |
| 1983-85 | Steel | 402707 | YP-26-16 | .063/1.6mm | 5 | 30T - OD: 4.883" |
| 1986-87 | Friction | TBA | YPK-12 | | 6 | |
| 1986-87 | Steel | 402707-200 | YP-26-20 | .079/2.0mm | 5 | 30T - OD: 4.883" |
| 1988 | Friction | TBA | YPK-12 | | 7 | |
| 1988 | Steel | 402707 | YP-26-16 | .063/1.6mm | 6 | 30T - OD: 4.883" |
| 1989-90 | Friction | TBA | YPK-12 | | 5 | |
| 1989-90 | Steel | 402707 | YP-26-16 | .063/1.6mm | 6 | 30T - OD: 4.883" |
| 1991-92 | Friction | TBA | YPK-49 | | 7 | |
| 1991-92 | Steel | TBA | YP-49-16 | | 6 | |
| 1993-03 | Friction | TBA | YPK-49 | | 8 | |
| 1993-03 | Steel | 402707 | YP-26-16 | .063/1.6mm | 7 | 30T - OD: 4.883" |

Import Motorcycle Applications

YAMAHA

YZ-175

YAMAHA 175 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|-------|-------|
| 1976 | Friction | TBA | YPK-6 | 6 |
| 1976 | Steel | TBA | TBA | |

YZ-250

YAMAHA 250 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|-------------------------------|
| 1974-75 | Steel | 402711 | YP-15-15 | .057/1.45mm | 5 | 27T - OD: 5.279" |
| 1976 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |
| 1977-78 | Steel | 402701 | YP-15-12 | .047/1.2mm | 5 | 27T - ID: 5.281" (with 1 Tab) |
| 1979 | Steel | 402711-230 | YP-15-23 | .090/2.3mm | 4 | 27T - OD: 5.279" |
| 1980 | Steel | 402711-230 | YP-15-23 | .090/2.3mm | 5 | 27T - OD: 5.279" |
| 1981 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |
| 1982-87 | Friction | TBA | YPK-19 | | 7 | |
| 1982-87 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |
| 1988-92 | Friction | TBA | YPK-40 | | 7 | |
| 1988-92 | Steel | 402709 | YP-41-16 | .063/1.6mm | 6 | 30T - OD: 5.590" |
| 1993-03 | Friction | TBA | YPK-40 | | 8 | |
| 1993-03 | Steel | 402709 | YP-41-16 | .063/1.6mm | 7 | 30T - OD: 5.590" |

YZ-360

YAMAHA 360 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------|
| 1974-75 | Steel | 402711 | YP-15-15 | .057/1.45mm | 5 | 27T - OD: 5.279" |

YZ-400

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|------------|-------|-------------------------------|
| 1976-79 | Steel | 402701 | YP-15-12 | .047/1.2mm | 6 | 27T - ID: 5.281" (with 1 Tab) |

YZ-400F

YAMAHA 400 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-------------------------------|
| 1998-99 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 1998-99 | Friction | TBA | YPK-13 | | 7 | |
| 1998-99 | Steel | 402701 | YP-15-12 | .047/1.2mm | 7 | 27T - ID: 5.281" (with 1 Tab) |

YZ-426F

YAMAHA 426 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|-----------------------------|
| 2000 | Friction | TBA | YPK-40 | | 9 | |
| 2000 | Steel | 402709-120 | YP-41-12 | .047/1.2mm | 8 | 30T - OD: 5.590" |
| 2001-02 | Friction | 088700-310 | YPK-25B | .123/3.1mm | 1 | Red - 12T - ID: 4.341" - SB |
| 2001-02 | Friction | TBA | YPK-40 | | 8 | |
| 2001-02 | Steel | 402709-120 | YP-41-12 | .047/1.2mm | 8 | 30T - OD: 5.590" |

YZ-465

YAMAHA 465 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1980-81 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

YZ-490

Import Motorcycle Applications

YAMAHA

YZ-490

YAMAHA 490 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|------------------|
| 1982-94 | Friction | TBA | YPK-19 | | 7 | |
| 1982-94 | Steel | 402701A | YP-15-16 | .061/1.55mm | 6 | 27T - OD: 5.281" |

YZ-50

YAMAHA 50 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|--------|----------|-------------|-------|------------------------------|
| 1980 | Friction | TBA | YPK-36A | | 5 | |
| 1980 | Steel | 402703 | YP-45-12 | .047/1.19mm | 4 | 23T - OD: 4.52" (with 1 Tab) |

YZ-60

YAMAHA 60 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|--------|----------|-------------|-------|------------------------------|
| 1981-83 | Friction | TBA | YPK-36A | | | |
| 1981-83 | Steel | 402703 | YP-45-12 | .047/1.19mm | 4 | 23T - OD: 4.52" (with 1 Tab) |

YZ-80

YAMAHA 80 CC

| Year | Description | Alto | Ref | Usage |
|---------|-------------|------|---------|-------|
| 1974-75 | Friction | TBA | YPK-36A | 3 |
| 1976-77 | Friction | TBA | TBA | 3 |
| 1978-79 | Friction | TBA | TBA | 3 |
| 1980 | Friction | TBA | TBA | 3 |
| 1981-85 | Friction | TBA | YPK-18 | 3 |
| 1986-92 | Friction | TBA | YPK-18 | |
| 1993-94 | Friction | TBA | YPK-18 | 6 |
| 1995-01 | Friction | TBA | YPK-18 | 6 |

YZ-85

YAMAHA 85 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|---------|----------|-------------|-------|-----------------|
| 2002-03 | Friction | TBA | YPK-18 | | 7 | |
| 2002-03 | Steel | 402703A | YP-45-20 | .078/1.98mm | 3 | 23T - OD: 4.52" |

YZF-1000R

YAMAHA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|------|-------------|------------|----------|-------------|-------|------------------|
| 1997 | Friction | TBA | YPK-25C | | 1 | |
| 1997 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 8 | 27T - OD: 5.279" |

YZF-1000R1

YAMAHA 1000 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|--------------|-------------|-------|-----------------------------|
| 1998-03 | Friction | 094700-250 | YPK-5 | .098/2.49mm | 7 | Brn - 12T - ID: 4.885" - SB |
| 1998-03 | Friction | 094700-300 | YPK-31B | .118/3.0mm | 1 | Red - 12T - ID: 4.885" - SB |
| 1998-03 | Steel | 402717-200 | 2H7-16325-00 | .078/1.98mm | | 30T - OD: 5.937" |
| 1998-03 | Steel | TBA | YP-20-20 | | 7 | |

YZF-600R

YAMAHA 600 CC

Import Motorcycle Applications

YAMAHA

YZF-600R

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|------------|-------|------------------|
| 1994-96 | Friction | TBA | YPK-12 | | 9 | |
| 1994-96 | Steel | 402707-200 | YP-26-20 | .079/2.0mm | 8 | 30T - OD: 4.883" |

YZF-600R6

YAMAHA 600 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1999-02 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |
| 1999-02 | Steel | TBA | YP-15-23 | | 1 | |
| 2003 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 7 | 27T - OD: 5.279" |
| 2003 | Steel | TBA | YP-15-23 | | 1 | |

YZF-750 DRY

YAMAHA 750 CC

| Year | Description | Alto | Ref | Usage |
|------|-------------|------|----------|-------|
| ALL | Friction | TBA | YPK-12RM | 8 |
| ALL | Steel | TBA | YP-26-14 | 7 |

YZF-750R

YAMAHA 750 CC

| Year | Description | Alto | Ref | OAT | Usage | Remarks |
|---------|-------------|------------|----------|-------------|-------|------------------|
| 1994-98 | Steel | 402711-195 | YP-15-20 | .076/1.93mm | 8 | 27T - OD: 5.279" |

Motorcycle Interchanges

| ALTO # | Drag | | Custom | | | Bikers | | | Motorcycle | | Viola |
|---------------|-------------|--------|---------|---------|---------|---------|--------|----------|------------|-----------|----------|
| | Specialties | Chrome | J&P | Midwest | Mid-USA | Choice | Zodiac | Hardline | Bike Line | Storehous | V-Twin |
| 095250 | | | | 96-312 | 72212 | | 233521 | | | 555545 | |
| 095250UP10 | | | | | | | | 810-4005 | | | |
| 095251 | | 94018 | | | 65416 | | 238673 | | | 500975 | |
| 095251UP10 | | | | | | | | 810-4006 | | | |
| 095252 | | | | 96-621 | 72269 | | 238674 | | | 501025 | |
| 095252UP10 | | | | | | | | 810-4007 | | | |
| 095300 | | 020573 | | 98-458 | | | 235009 | | | 509035 | |
| 095301 | 60-3049 | | | 98-302 | | 60-3049 | 234999 | | | | |
| 095700-380 | | | 630-559 | | | | 238651 | | | | |
| 095700K380 | | | 630-560 | | | | 710194 | | | | |
| 095701-160 | | 16210 | 630-561 | 96-467 | 73025 | 49-8205 | 238652 | | 51-0722 | 978912 | |
| 095710-380 | | | 630-562 | | | | 238653 | | | | |
| 095710A380 | | | 630-563 | | | | | | | | |
| 095710AK380 | | | 630-564 | | | | | | | | |
| 095710K380 | | | 630-565 | | | | | | | | |
| 095711-120 | | 070520 | 630-566 | 96-812 | 73039 | | 238654 | | 51-0720 | 978910 | |
| 095711-120UP1 | 1131-0456 | | | | | | | | | | |
| 095711-200 | | | 630-567 | | | | | | | | |
| 095720-270 | | | 630-568 | | | | 238655 | | | | |
| 095720-450 | | 070507 | | | 73043 | | 238657 | | | 519755 | |
| 095720-450UP1 | 1131-0457 | | | | | | | | | | |
| 095720K270 | | | 630-569 | | | | 238656 | | | | |
| 095721-120 | | 16209 | 630-570 | 96-365 | 73027 | 49-8223 | 238658 | | 51-0721 | 978935 | |
| 095721-120UP1 | 1131-0458 | | | | | | | | | | |
| 095730-220 | | | 630-571 | | | | 238659 | | | | |
| 095730K220 | | | 630-572 | | | | 710195 | | | | |
| 095731-160 | | 16211 | 630-573 | 96-562 | 73033 | 49-8206 | 238660 | | 51-0723 | 978913 | |
| 095731-160UP1 | 1131-0459 | | | | | | | | | | |
| 095750BC | 1131-0460 | 09605 | 630-727 | 96-918 | 73122 | 49-8220 | 711752 | 810-4100 | | 978927 | |
| 095750CC | 1131-0752 | | 532-753 | | | | | 810-4101 | | | |
| 095750DC | 1131-0461 | 699607 | 630-725 | 96-916 | 73120 | 49-8218 | 711750 | 810-4102 | | 978925 | |
| 095750EC | 1131-0462 | 699606 | 630-726 | 96-917 | 73121 | | 711751 | 810-4103 | | 978926 | |
| 095750NC | 1131-0463 | 699605 | 630-728 | 96-919 | 73123 | 49-8221 | 711753 | 810-4104 | | 978928 | |
| 095752 | 1131-0451 | 16200 | 630-574 | 96-374 | 73144 | 49-8222 | 238626 | 810-4110 | 51-0701 | 978900 | 560-0132 |
| 095752A | 1131-0464 | 16202 | 630-575 | 96-433 | 73147 | 49-8201 | 238628 | 810-4111 | 51-0702 | 978901 | 560-0134 |
| 095752B | 1131-0465 | 16203 | 630-576 | 96-561 | 73146 | 49-8202 | 238638 | 810-4112 | 51-0011 | 978902 | 560-0126 |
| 095752C | 1131-0466 | 16204 | 630-577 | 96-549 | | 49-8228 | 238632 | 810-4113 | | 978909 | 560-0120 |
| 095752D | 1131-0467 | 16206 | 630-578 | 96-373 | 73143 | 49-8207 | 238634 | 810-4114 | 51-0008 | 978903 | 560-0122 |
| 095752E | 1131-0468 | 16208 | 630-579 | 96-534 | 73145 | 49-8208 | 238636 | 810-4115 | 51-0010 | 978904 | 560-0124 |
| 095752F | 1131-0469 | | 630-580 | 96-811 | 73040 | 49-8225 | 238625 | 810-4116 | 51-0700 | 978905 | 560-0130 |
| 095752K | 1131-0470 | 16201 | 630-582 | | 73151 | | 238627 | 810-4117 | | 978950 | |
| 095752KA | 1131-0471 | 16224 | 630-583 | | 73157 | | 238629 | 810-4118 | | 978951 | |
| 095752KB | 1131-0472 | 16226 | 630-584 | | 73158 | | 238639 | 810-4119 | 51-0121 | 978952 | |
| 095752KC | 1131-0473 | 16205 | 630-585 | | | | 238633 | 810-4120 | | 978923 | |
| 095752KD | 1131-0474 | 16207 | 630-586 | 96-376 | 73152 | | 238635 | 810-4121 | 51-0009 | 978953 | |
| 095752KE | 1131-0475 | 16227 | 630-587 | | 73159 | | 238637 | 810-4122 | 51-0120 | 978954 | |
| 095752KF | 1131-0476 | 070511 | 630-588 | | | | 710197 | 810-4123 | | 978936 | |
| 095752KM | | | 630-589 | | | | | 810-4124 | | | |
| 095752KN | | | 630-590 | | | | | 810-4125 | | | |
| 095752KP | 1131-0477 | 070516 | 630-591 | | 73194 | | 710365 | 810-4126 | 51-0125 | 978907 | |
| 095752M | | | 630-592 | | | | | 810-4127 | | | |
| 095752N | | | 630-593 | | | | | 810-4128 | | | |
| 095752P | 1131-0478 | 070508 | 630-594 | 96-925 | 73198 | 41-1500 | 710364 | 810-4129 | 51-0127 | 978906 | 560-0128 |
| 095753 | 1131-0452 | | 630-595 | | 73161 | 49-8446 | 238641 | 810-4140 | | 978911 | 560-0133 |
| 095753A | 1131-0479 | | 630-596 | | 73162 | 49-8445 | 238642 | 810-4141 | | 978934 | 560-0135 |
| 095753AC | 1131-0480 | | 630-597 | | 73165 | 49-8229 | 238645 | 810-4142 | | | 560-0121 |
| 095753AD | 1131-0481 | | 630-598 | | 73167 | 49-8447 | 238647 | 810-4143 | | | 560-0123 |
| 095753B | 1131-0482 | | 630-599 | | 73163 | 49-8442 | 238643 | 810-4144 | | 978931 | 560-0127 |

Motorcycle Interchanges

| ALTO # | Drag | Custom | Bikers | | | | | | Motorcycle | Viola | |
|---------------|-------------|--------|---------|---------|---------|---------|--------|-----------|------------|-----------|----------|
| | Specialties | Chrome | J&P | Midwest | Mid-USA | Choice | Zodiac | Hardline | Bike Line | Storehous | V-Twin |
| 095753C | 1131-0483 | | 630-600 | | 73164 | | 238644 | 810-4145 | | 978924 | |
| 095753CX | | | 630-601 | | | | | 810-4146 | | | |
| 095753D | 1131-0484 | | 630-602 | | 73166 | 49-8444 | 238646 | 810-4147 | | 978929 | |
| 095753E | 1131-0485 | | 630-604 | | 73168 | 49-8443 | 238648 | 810-4148 | | 978930 | 560-0125 |
| 095753K | | | | | | 49-2432 | | | | | |
| 095753M | 1131-0486 | | 630-605 | | 73160 | 49-8227 | 238640 | 810-4150 | | 978937 | 560-0131 |
| 095753N | 1131-0487 | 070527 | 630-606 | | 95250 | 49-8441 | 710366 | 810-4151 | | 978932 | 560-0129 |
| 095760-530 | | | 630-607 | | | | 238662 | | | | |
| 095760K530 | | | | | | | 238663 | | | | |
| 095761-290 | | 16212 | 630-608 | 96-557 | 73026 | 49-8210 | 238664 | 810-4160 | 51-0013 | | |
| 095761-290UP1 | 1131-0488 | | | | | | | | | | |
| 095761A290 | | 070526 | 630-609 | 96-329 | 73037 | | 238665 | 810-4161 | 51-0015 | 507140 | |
| 095761A290UP1 | 1131-0489 | | | | | | | | | | |
| 095761B290 | | 16225 | 630-610 | | | | 238666 | 810-4162 | | | |
| 095761B290UP1 | 1131-0490 | | | | | | | | | | |
| 095762KT | | | 630-611 | 96-13 | 73005 | 49-8209 | 238668 | 810-4001 | 51-0007 | | |
| 095762KTUP1 | 1131-0491 | | | | | | | | | | |
| 095763 | | 17066 | 630-612 | 96-618 | 73038 | 49-8213 | 238669 | 810-4169 | 51-0725 | 519885 | 560-0136 |
| 095763UP1 | 1131-0453 | | | | | | | | | | |
| 095764B320 | | | | | | | | | 51-0119 | | |
| 095764B320UP1 | 1131-0492 | | | | | | | | | | |
| 095764BRUP1 | 1131-0493 | | | | | | | | | | |
| 095767 | | 070069 | | 96-913 | | 49-8217 | 710363 | 810-4004 | 51-047 | 978918 | 560-0138 |
| 095767HD | | | | 96-911 | | | | 810-4004H | 51-048 | 978919 | |
| 095767UP1 | 1131-0454 | | | | | | | | | | |
| 095770-240 | | | 630-613 | | | | 238670 | | | | |
| 095770K240 | | | 630-614 | | | | 710196 | | | | |
| 095771-120 | | 16213 | 630-615 | 96-468 | 73028 | 49-8211 | 238671 | | 51-0014 | 978915 | |
| 095771-120UP1 | 1131-0494 | | | | | | | | | | |
| 095780A380 | | | 630-616 | | | | 710360 | | | | |
| 095780AK380 | | | 630-617 | | | | 710361 | | | | |
| 095781 | | | 630-618 | 96-912 | | 49-8214 | 710362 | | 51-0724 | 978908 | |
| 095781UP1 | 1131-0455 | | | | | | | | | | |
| 095782A380 | | | | | | | 711754 | | | | |
| 095782AK380 | | | | | | | 711755 | | | | |
| 320704BRUP1 | 1131-0495 | | | | | | | | | | |
| 320720BRUP1 | 1131-0496 | | | | | | | | | | |
| 320720K220UP1 | 1131-0497 | | | | | | | | | | |
| 320721-120UP1 | 1131-0498 | | | | | | | | | | |
| 320721-150 | | | | | | | | | 51-0124 | | |
| 320721-200UP1 | 1131-0499 | | | | | | | | | | |
| 320721-250UP1 | 1131-0500 | | | | | | | | | | |
| 320721-300UP1 | 1131-0501 | | | | | | | | | | |
| 320725-120 | | | | 96-34 | | | | | | | |
| 320730-240UP1 | 1131-0502 | | | | | | | | | | |
| 320750A | 1131-0503 | 699608 | 604-822 | 96-972 | 73197 | | 233571 | 810-4170 | 51-0126 | | |
| 320750AA | | | | 96-973 | | | | | | | |
| 320750AB | | | | 96-974 | | | | 810-4179 | | | |
| 320750AC | | | | 96-975 | 73173 | | | 810-4180 | | | |
| 320750B | 1131-0504 | 699609 | | 96-976 | 73199 | | | 810-4171 | | | |
| 320750C | | | | 96-977 | | | | 810-4172 | | | |
| 320750D | 1131-0505 | | | 96-978 | | | | 810-4173 | | | |
| 320750E | 1131-0506 | | | 96-979 | | | | 810-4174 | | | |
| 320750F | 1131-0507 | | | 96-980 | | | | 810-4175 | | | |
| 320750G | 1131-0508 | | | 96-981 | | | | 810-4176 | | | |
| 320750H | | | | 96-982 | | | | 810-4177 | | | |
| 320750M | | | | 58-769 | | | | | | | |
| 320750M3 | | | | 58-760 | | | | | | | |

Distributed By

ALTO
CARBONITE[®]

HARLEY-DAVIDSON

**REPLACEMENT
CLUTCHES**



ALTO PRODUCTS CORP.
Alto Way • Atmore, AL • 36504
251.368.7777 • Fax 251.368.7774
altoUSA.com

Clutches Designed and
Engineered for Maximum
Engine Torque

